




LANDSCAPING MATERIALS

MODERN GARDENS FOR GARDENS EQUIPMENT TRADING LLC

PO Box 128619 Abu Dhabi UAE | Tel: +971 2 650 8039 | Fax: +971 2 673 5995
Email moderngardens@gmail.com | marketing.moderngardens@gmail.com

P.O Box No. 11169 Manama, Kingdom of Bahrain
Mobile: +973 66628877 | Email bahrain.moderngardens@gmail.com

Website moderngardensuae.com



CHAIN LOCK TREE TIES

EASY TO USE

WITHSTANDS THE ELEMENTS


CONVENIENT DISPENSING


Durable high-density polyethylene chain simply pulls through itself and twists into a locking position
Treated With UV inhibitors to prevent cracking and degradation due to sun exposure
Cartons dispense the exact length you need

TREE TIES |



THE ANATOMY OF AN ANCHOR





APPLICATIONS

Anchoring Systems are used worldwide to secure items that can be stolen, moved, or blown down. Anchors are intended for light duty applications in normal soils.

For highly corrosive environment, anchoring can be fabricated with stainless steel wire rope, plastic impregnated wire rope or other corrosion-resistant solutions.

Ideal for:

- Tree Support
- Fences
- Structures
- Tents
- Towers
- Scaffolding
- Tree Retentions
- Turf Reinforcement
- Sheds
- Theft Deterrent
- Vineyards
- And more..


- No digging - No excavation -- No soil Disturbance
- Anchors can be load tested during installation to exact holding capacity requirements.
- Fast installation with conventional hydraulics, pneumatic equipment available worldwide.
- Easily installed in tight, hard-to-reach locations.
- Substantial time and cost savings.

HULK INSTALLATION METHODS

Light



Medium



Heavy



ANCHOR LOCKING AND PROOF TESTING

Anchor Hook




Anchor Jack



PT-45




PT-150



HOW IT WORKS

1. Drive anchor into the soil using a hammer and drive steel rod (a small jack hammer can also be used with power drive steel).
2. Once anchor is at the proper depth, remove the wire rope.
3. Set the anchor in the soil by pulling up on the wire rope.






| ANCHORS



HULK HP25

DIMENSIONS |
WEIGHT: 0.028KG
LENGTH: 85mm


HEIGHT: 25mm
WIDTH: 25mm



HULK HP35

DIMENSIONS |
WEIGHT: 0.28KG
LENGTH: 125mm

HEIGHT: 44mm
WIDTH: 35mm



HULK H50

DIMENSIONS |
WEIGHT: 0.75KG
LENGTH: 160mm


HEIGHT: 63mm
WIDTH: 50mm



HULK HG180

DIMENSIONS |
WEIGHT: 0.64KG
LENGTH: 341mm


HEIGHT: 105mm
WIDTH: 180mm



HULK H80

DIMENSIONS |
WEIGHT: 0.83KG
LENGTH: 160mm

HEIGHT: 63mm
WIDTH: 80mm



HULK H110

DIMENSIONS |
WEIGHT: 0.99KG
LENGTH: 160mm

HEIGHT: 63mm
WIDTH: 110mm



HULK HG100

DIMENSIONS |
WEIGHT: 5.25KG
LENGTH: 341mm

HEIGHT: 105mm
WIDTH: 341mm




HULK HG320

DIMENSIONS |
WEIGHT: 11.3KG
LENGTH: 444mm

HEIGHT: 111mm
WIDTH: 320mm



PLASTIC LANDSCAPE EDGING





DESCRIPTION

A sleek, modern edge, 4" high and designed for versatile anchoring options, which allows it to be installed in traditional planting bed applications or adjacent to sidewalks & patios.

Thorough product engineering and quality control assures landscape professional that every 20' length meets the high standards and demands of the industry.

Connecting pieces is easy, with custom-designed, locking connectors that don't require overlapping or nesting of pieces.

BASIC USES:

Landscape edging as a border between planting beds, pathways, drives, mulch & rock division, or anywhere separation, and definition is required.

GUARANTEED:

To be uniform in size.

To be shipped flat and straight To be consistent from lot to lot To have an extra smooth finish

5 lbs
per strip



GENERIC EDGE

A lighter version of PROLIP. Featuring a thinner wall and shorter V-lip than Prolip, Generic provides a cost-effective alternative for professional installers. Each 20' strip weighs 5lbs (not including stake kit).

6 lbs
per strip



PROFESSIONAL POLY EDGING

Is designed with a height from top to bottom of 5.5". The extra-heavy top bead can withstand abuse and sun exposure. Its unique side rib provides enhanced flexibility and workability. Each 20' strip weighs 6 lbs (not including stake kit).

7 lbs
per strip



HI-TEST POLY EDGING

features a unique, corrugated side baffle and durable lip that provides superior grip in a variety of soil types. The extra-heavy top bead withstands abuse and sun exposure. Each 5" x 20-foot strip weighs 7 lbs (not including connector).

6 lbs
per strip



PROLIP EDGE

Features a height of 5" from top to bottom. The longer V-Lip helps prevent problems commonly experienced with the same extra-heavy top bead and UV protection. Each 20' strip weighs 6 lbs (not including stake kit).



Ideal edging system for tree ring applications. Two 8' pieces of EdgePro Ultra™ form a circle, approximately 5' in diameter.

Landscape Edging Accessories

Custom Landscape Stakes

9.5" heavy-duty steel stakes are designed for anchoring EdgePro Ultra™ with Slots. The stakes are available in 45-count boxes or as part of a stake/connector kit assortment.

Steel Landscape Spikes

10" steel, non-galvanized landscape spikes available for use with EdgePro Ultra™ without Slots. The spikes are available in 45-count boxes or as part of a spike/spike adaptor/connector kit assortment.

Nylon Landscape Spikes

Durable, 10" nylon landscape spikes are a cost-effective option for use with EdgePro Ultra™ without Slots. The spikes are available in 45-count boxes or as part of a spike/spike adaptor/connector kit assortment.

WHY VINYL?

Vinyl has a proven track record for durability in other outdoor applications like fencing, decking, and siding.

Vinyl will not rust, rot, or deteriorate due to weather.

Vinyl is colored through the thickness, eliminating concerns about color loss due to paint chipping or scratching.






CONNECTORS

SPIKES

LANDSCAPE EDGING ACCESSORIES



STEEL STAKES



LANDSCAPE EDGING ACCESSORIES

LANDSCAPE EDGING ACCESSORIES

CUSTOM LANDSCAPE STAKES

9.5-inch heavy-duty steel stakes are designed to be used with any landscape edging. The stakes are available in 100-count boxes.

KNURLED CONNECTORS

Straight, plastic knurled connectors are 7.5 inches in length. They can be used for virtually seamless connections with any landscape edging. The knurled connectors are available in 25-count boxes.

STAKE KITS

Convenient, ready-made kits consisting of four 9.5-inch heavy-duty steel stakes and are 7.5-inch knurled connector. A minimum of one kit is recommended for each 20-foot section of landscape edging. The stake kits are available in 50-count boxes.

90-DEGREE CONNECTORS

Corner connections for any landscape edging are made easy with custom-designed 90-degree connectors. The 90-degree connectors are available in 25-count and 200-count boxes.



LANDSCAPE EDGING ACCESSORIES



LANDSCAPE EDGING

products are guaranteed to be free from manufacturing defects and will not crack, rot, or deteriorate due to UV exposure or severe weather conditions.

PRODUCT SPECIFICATION

Material: Medium density polyethylene with UV inhibitor Add 0.08 lbs. for connector,
Weight: Add 1.04 lbs. for stake kit
Height: 5.0 in. (nominal)

45 Series

Product Features

- Provides a neat edge separating lawn, mulch, pavers, gravel
- Fast and easy to install
- Flexible, easily installed in a straight lines or curve
- Integrated assembly and locking system
- Can be cut to any length
- Includes 6 steel anchoring spikes (250mm)
- Made from RECYCLED plastic, long lasting UV finish
- Weather resistant, maintenance free, 100% RECYCLABLE
- Above or below ground installation

Applications

- Paving Restraint
- Garden Borders
- Lawn Edge
- Pebble Paths
- Artificial Lawn

Size

(L) 1000mm (W) 5mm (H) 45mm

Product Description

Yardbird Plastic Garden Edging allows you to easily create perfect lines or gentle curves between your garden beds and lawns. The edging lengths simply click together and are held in place with 3 steel anchoring spikes.

Smart Design

Yardbird Plastic Garden Edging has irrigation clips that just simply snap into place that support 13mm and 19mm Poly Pipe. No more leaks, no more wondering where your irrigation lines are, extend your garden as your plants grow.



79 Series

Product Features

- Provides a neat edge separating lawn, mulch, pavers, gravel
- Fast and easy to install
- Flexible, easily installed in a straight lines or curve
- Integrated assembly and locking system
- Can be cut to any length
- Kits include 6 steel anchoring spikes (250mm)
- Made from RECYCLED plastic, long lasting UV finish
- Weather resistant, maintenance free, 100% RECYCLABLE
- Above or below ground installation

Applications

- Garden Borders
- Lawn Edge
- Pebble Paths
- Artificial Lawn

Size

(L) 1000mm (W) 5mm (H) 79mm

Product Description

Yardbird Plastic Garden Edging allows you to easily create perfect lines or gentle curves between your garden beds and lawns. The edging lengths simply click together and are held in place with 3 steel spikes.


Smart Design

Yardbird Plastic Garden Edging has irrigation clips that just simply snap into place that support 13mm and 19mm Poly Pipe. No more leaks, no more wondering where your irrigation lines are, extend your garden as your plants grow.



Where a division of materials is required.

Applications / Installation	45 Series	79 Series
Lawn / Artificial Grass	✓	✓
Raised Garden bed	✓	✓
Paths / Walkways / Driveways	✓	✓
Tree Surrounds	✓	✓
Curves / Straight lines	✓	✓
Paving Restraint	✓	
Expansion Joint		✓
Above / Below Ground Installation	✓	✓
Product Code	YB – PR 45	YB – PGE 79
Length	1000mm	1000mm
Height	45mm	79mm
Width at Base	80mm	80mm
Visible Edge	5mm	5mm




Patented design for a better edge and installation




Integrated joining system


PP Injection



Black



Grey



Green



ALUMINUM LANDSCAPE EDGING



DESCRIPTION

A rustproof edging designed to be inserted into ground matter for use in landscape areas requiring permanent and distinct separation of different materials.

i.e.: to separate grass from mulch, pebble stone from mulch, paver bricks from WalkWay or grass, etc.

BASIC USES: Landscape edging as a border between planting beds, pathWays, drives, mulch & rock division, or anyWhere separation, and definition is required.

ADVANTAGES - GENERAL

Lifetime performance makes the cost of aluminum edging lower. The resilient flexibility of aluminum allows for smoother curves. Crisp, straight lines can be achieved With minimal effort.

MATERIAL USED



6063-T6 Extruded Aluminum Alloy

FINISHES

Mill - Natural aluminum finish

Painted - UV flex powder coat finish

Anodized - Dye finish that is electrically absorbed into the outer surface of the metal



LANDSCAPE EDGING ACCESSORIES

12" Aluminum Stakes
End Stake Adaptor



Also great for tree ring applications. Two 8' pieces of EdgePro® Aluminum form a circle, approximately 5' in diameter.

Natural



Mill

Painted



Black



Bronze



Brown



Green

Anodized



Black

EdgePro® Aluminum



EdgePro Aluminum is a 4" high edging system with horizontal grooved design that allows better grip in the soil. Includes three stakes with each piece of edging and four end stake adapters per case. Available in 8' lengths.

No "double thickness" at connection joints with our dual stake connection system that fits together easily like puzzle pieces.





WHY ALUMINUM?

Aluminum Withstands year of maintenance abuse and is resistant to corrosion.

Aluminum is lightweight and flexible for making curves.

Aluminum is not susceptible to thermal expansion and contraction With temperature change.



12" Aluminum Stakes 25-Count



Item
1800+COLOR

End Stake Adaptor 25-Count



Item
1811+COLOR

LANDSCAPE EDGING ACCESORIES

Included With 8' edging: 3-12" Aluminum Stakes
4-End Stake Adaptors

Included With 16' edging: 5-12" Aluminum Stakes
4-End Stake Adaptors

Extra aluminum stakes and end stakes are available.



LANDSCAPE EDGING ACCESSORIES





BEFORE
Without Plastic Edging



AFTER
With Plastic Edging



Product Features

- Made from structural grade aluminium
- Durable, long lasting anodised surface finish
- Flexible, easily installed in a straight lines or curve
- Resistant to corrosion, fading, warping
- Above or below ground installation

Applications

- Residential
- Commercial
- Civil
- Garden borders
- Concrete expansion joint
- Artificial Lawn
- Roof Tops
- Mining camps
- Government projects

Flex Edge



Product Description

Hedge Aluminium Garden Edging saves you time and money.

Made from structural garden aluminium with a range of durable anodised surface finished, Hedge is the most widely used Aluminium Garden Edging product used by commercial landscapers.


Where a division of materials is required.

Applications / Installation	Flexi Edge
Lawn / Artificial Grass	✓
Raised Garden bed	✓
Paths / Walkways / Driveways	✓
Concrete / Asphalt	✓
Curves / Straight lines	✓
Paving Restraint	✓
Expansion Joint	✓
Above / Below Ground Installation	✓

Aluminium Garden Edging Dimensions

Length: 2440mm / 2900mm
Height: 80mm / 100mm / 140mm
Width: 5mm

*Custom lengths and heights available on request





Product Features

- Made from structural grade aluminium
- Durable, long lasting anodised surface finish
- Flexible, easily installed in a straight lines or curve
- Resistant to corrosion, fading, warping
- Above or below ground installation

Applications

- Residential
- Commercial
- Civil
- Garden borders
- Concrete expansion joint
- Artificial Lawn
- Roof Tops
- Mining camps
- Government projects

Heavy Duty



Product Description

Hedge Aluminium Garden Edging saves you time and money.

Made from structural garden aluminium with a range of durable anodised surface finished, Hedge is the most widely used Aluminium Garden Edging product used by commercial landscapers.


Where a division of materials is required.

Applications / Installation	Heavy Duty
Lawn / Artificial Grass	✓
Raised Garden bed	✓
Paths / Walkways / Driveways	✓
Concrete / Asphalt	✓
Curves / Straight lines	✓
Paving Restraint	✓
Expansion Joint	✓
Above / Below Ground Installation	✓

Aluminium Garden Edging Dimensions

Length: 2440mm / 2900mm
Height: 80mm
Width: 5mm

*Custom lengths and heights available on request



Aluminium Garden Edging

Product Features

- Provides a neat edge separating lawn, mulch, pavers, gravel
- Fast and easy to install
- Flexible, easily installed in a straight lines or curve
- Patented joining and assembly system
- Can be cut to any length
- Steel anchoring spikes (250mm)
- Made from Structural Grade Aluminium, long lasting finishes
- Weather resistant, maintenance free, 100% RECYCLABLE
- Above or below ground installation

Applications

- Garden Borders
- Lawn Edge
- Pebble Paths
- Artificial Lawn

Size

2900mm lengths + custom sizes available upon request

Product Description

Hedge Aluminium Garden Edging allows you to easily create perfect lines or gentle curves between your garden beds and lawns. The edging lengths simply join together and are held in place with steel fixing spikes and anchors.


Smart Design

Hedge Garden Products are all designed to be clean, modern and on-trend. Providing homeowners and landscaping professionals with a range of products designed for the job.




Where a division of materials is required.

Applications / Installation	40mm	75mm	100mm
Lawn / Artificial Grass	✓	✓	✓
Raised Garden Bed	✓	✓	✓
Paths / Walkways / Driveways	✓	✓	✓
Tree Surrounds	✓	✓	✓
Curves	✓	✓	✓
Above / Below Ground Installation	✓	✓	✓
Product Code (Clear Anodised)	YB PR 40	YB – GE 75	YB – GE 100
Length	2900mm	2900mm	2900mm
Height	40mm	75mm	100mm
Width	5mm	5mm	5mm




Easy to join




Patented Fixing System


Powder Coated



Charcoal




Black




Rust


Anodised



Clear Anodised




Brushed Grey



Brushed Copper



WPC WOOD LANDSCAPE EDGING



WPC Wood Garden Edging

Product Features

- Provides a neat edge separating lawn, mulch, pavers, gravel
- Fast and easy to install
- Flexible, easily installed in a straight lines or curve
- Patented joining and assembly system
- Can be cut to any length
- Includes 6 steel anchoring spikes (250mm)
- Made from RECYCLED PP plastic, long lasting UV finish
- Weather resistant, maintenance free, 100% RECYCLABLE
- Above or below ground installation

Applications

- Garden Borders
- Lawn Edge
- Pebble Paths
- Artificial Lawn

Size

(L) 2900 (H) 100mm (W) 16mm

Product Description

Hedge WPC Garden Edging allows you to easily create perfect lines or gentle curves between your garden beds and lawns. The edging lengths simply join together and are held in place with steel fixing spikes and anchors.


Smart Design

Hedge Garden Products are all designed to be clean, modern and on-trend. Providing homeowners and landscaping professionals with a range of products designed for the job.



Where a division of materials is required.

Applications / Installation	100mm
Lawn / Artificial Grass	✓
Raised Garden Bed	✓
Paths / Walkways / Driveways	✓
Tree Surrounds	✓
Curves	✓
Above / Below Ground Installation	✓
Product Code	HDE – CWE 2900
Length	2900mm
Height	100mm
Width	16mm



Easy to join



Patented Fixing System

Sanded Wood Finish



Teak



Walnut



Merbau

Wood Grain Finish



Teak



Walnut



Merbau



LANDSCAPING MATERIALS

MODERN GARDENS FOR GARDENS EQUIPMENT TRADING LLC

PO Box 128619 Abu Dhabi UAE | Tel: +971 2 650 8039 | Fax: +971 2 673 5995
Email moderngardens@gmail.com | marketing.moderngardens@gmail.com

P.O Box No. 11169 Manama, Kingdom of Bahrain
Mobile: +973 66628877 | Email bahrain.moderngardens@gmail.com

Website moderngardensuae.com