

STREET FURNITURE

MODERN GARDENS FOR GARDENS EQUIPMENT TRADING LLC

UAE

P.O Box:128619 Abu Dhabi UAE | **Tel**.: +971 2 650 8039 | **Fax**: +971 2 673 5995 **Email**: moderngardens@gmail.com | marketing.moderngardens@gmail.com

Bahrain

P.O Box: No.11169 Manama, Kingdom of Bahrain

Mobile: +973 66628877 | Email: bahrain.moderngardens@gmail.com

KSA

Building No. 6871, King Abdulaziz Rd, Al Sahafa District, Riyadh, Saudi Arabia **Tel.:** +966 11 221 8809 | **Email:** moderngardens.ksa@gmail.com













BENCH BOROLA / LBL1

DIMENSIONS | 1800×734×784 mm

SPECIFICATIONS | The rail sides made of aluminum alloy can remain natural or can be treated with powder coating.



BENCH VELA/LVL1

DIMENSIONS | 1800×969×732 mm

SPECIFICATIONS | Galvanized steel with powder coating. A seat and backrest are made from solid wooden lamellas.



BENCHTWISTULA/LTW1

DIMENSIONS | 3200×400×440 mm

SPECIFICATIONS | The seat is realized by a single piece of solid wood to which two galvanized feet are attached with stainless crews.



BENCH RIVA / PRI195

DIMENSIONS | 1940×560×820 mm; Seat height 430mm SPECIFICATIONS | Frame in hot-galvanized steel, seat/backrest with seven beveled and rounded boards, thickness 43 mm



BENCH ROSTY / LR02

DIMENSIONS | 2840×1386×420 mm

SPECIFICATIONS | Seat consists of lamellas made of solid wood fixed together in one board through stainless threaded rods and spacers.



BENCH ROBUSTA/LRB1

DIMENSIONS 3000×726×800 mm

SPECIFICATIONS | Sideboards are made of architectural solid concrete



BENCHONE/LON1

DIMENSIONS | 1800×760×828 mm

SPECIFICATIONS | Galvanized steel with powder coating or can be made of stainless steel.



BENCH SADKA BENCH

DIMENSIONS | 1800 x 667 x 798mm

SPECIFICATIONS | Galvanized steel structure. A seat and backrest consist of boards inserted among the parts of the structure and secured with metric screws and nuts.



FW30 BENCH

DIMENSIONS | 1800 x 710 x 864 mm (Customizable)
SPECIFICATION | Solid wood /WPC+cast iron; with powder coating.



FS61 BENCH

DIMENSIONS | Customizable SPECIFICATION | Steel with powder coating



FW114 BENCH

DIMENSIONS | L1600mm/1800mm SPECIFICATION | Solid wood /WPC+cast iron; with powder coating.



FW60 BENCH

DIMENSIONS | 1400/1800mm accept customized SPECIFICATION | Steel+solid wood/wpc wood; with powder coating.



FW42 BENCH

DIMENSIONS | 1400/1800mm accept customized

SPECIFICATION | Stainless/steel/aluminum/wood; with
powder coating



FW64 BENCH

DIMENSIONS | 1400/1800mm accept customized

SPECIFICATION | Steel+solid wood/wpc wood; with powder coating.



FW54 BENCH

DIMENSIONS | 1400/1800mm accept customized

SPECIFICATION | Stainless/steel/aluminum with powder coating.



FW27-1 BENCH

DIMENSIONS | 1800*60*760mm(Customizable)
SPECIFICATION | Steel with powder coating.

METAL COLOR I I A

WOODEN/WPC BENCHES



FW79 BENCH

DIMENSIONS | 1400/1800mm accept customized SPECIFICATION | Steel+solid wood/wpc wood; with powder coating.



FS16 BENCH

DIMENSIONS | Customizable SPECIFICATION | Solid wood /WPC+cast iron; with powder coating.



FW71 BENCH

DIMENSIONS | 1400/1800mm.(accept customized)
SPECIFICATION | Steel+solid wood/wpc wood; with powder coating.



FW43 BENCH

DIMENSIONS | 1400/1800mmaccept customized SPECIFICATION | Steel+solid wood/wpc wood; with powder coating.



FW62 BENCH

DIMENSIONS | 1400/1800mm accept customise

SPECIFICATION | Steel+solid wood/wpc wood; with powder coating



FW23 BENCH

DIMENSIONS | Customizable

SPECIFICATION | Solid wood /WPC+cast aluminum; with

Powder coating; Environment friendly oil paint for the wood



FW81 BENCH

DIMENSIONS | Customizable

SPECIFICATION | Solid wood /WPC+cast iron; with powder coating. Environment friendly oil paint for the wood



FW05 BENCH

DIMENSIONS | 1400/1800mm accept customized SPECIFICATION | steel+solid wood/wpc wood; with powder coating.



CIVIC BENCH

DIMENSIONS | L: 1800 mm, H: 430 mm, W: 443 mm SPECIFICATION | Hot Dipped Galvanized steel, Powder Coat. Hardwood Timber



DELTA BENCH

DIMENSIONS | L: 1840 mm, H: 431 mm, W: 410 mm SPECIFICATION | Cast Aluminum with powder coating; Hardwood Timber



FIESTA BENCH

DIMENSIONS L: 1824 mm, H: 430 mm, W: 631 mm)
SPECIFICATION Cast Aluminum with powder coating;
Hardwood Timber.



FORESHORE BENCH

DIMENSIONS | L: 1800 mm, H: 470 mm, W: 345 mm SPECIFICATION | Cast Aluminum with powder coating; Hardwood Timber.



HORIZON BENCH

DIMENSIONS | L: 1830 mm, H: 830 mm, W: 500 mm SPECIFICATION | Cast Aluminum with powder coating; Hardwood Timber.



PLAZA BENCH

DIMENSIONS | L: 1840 mm, H: 475 mm, W: 640 mm SPECIFICATION | Cast Aluminum with powder coating; Hardwood Timber.



PROMENADE BENCH

DIMENSIONS | L: 1800 mm, H: 448 mm, W: 430 mm SPECIFICATION | 304 Grade Stainless Steel Legs; Cast Aluminum with powder coating; Hardwood Timber.



WOODGROVE BENCH

DIMENSIONS | L: 1814 mm, H: 445 mm, W: 438 mm SPECIFICATION | Hot Dipped Galvanized steel, Powder Coat. Hardwood Timber



MODO10-1800

DIMENSIONS | 1800x648x794 mm

SPECIFICATION | Aluminum and tropical wood.



MODO08-1800-5-PC
DIMENSIONS | 1800x622x787 mm
SPECIFICATION | Wood and Stainless steel



MODO10-3000

DIMENSIONS | 3000x648x794 mm

SPECIFICATION | Double modo10 in aluminum and tropical wood



brown recycled polymer slats, measuring 1800x110x35 mm mm

MODO08-1800A-PRM

DIMENSIONS | 1800x624x788 mm

SPECIFICATION | bench with hammered painted iron legs and 6

and stainless steel screws.



MODO10-ROMANTICO
DIMENSIONS | 1800x648x790 mm
SPECIFICATION | Anodized aluminum+Guinea wood and stainless steel



MODO08-1800A-PRN
DIMENSIONS | 1800x622x788 mm

SPECIFICATION | bench with hammered painted iron legs and 6 black recycled polymer slats, measuring 1800x110x50 mm and stainless steel screws.



MODO08-1800-PC
DIMENSIONS | 1800x622x787mm accept customized
SPECIFICATION Conifer wood and stainless steel



C-106-MT

DIMENSIONS | 1800x670x826

SPECIFICATION | steel+solid wood/wpc wood; with powder coating.



C-1002-106-MAR DIMENSIONS | 1816x564x763 mm



C-1025-CON DIMENSIONS | 1800x503x762 mm SPECIFICATION | Tropical Wood and Steel



C-1002 DIMENSIONS | 2016x559x770 mm SPECIFICATION | Stainless steel and Wood



C-1008-MET-MAR-MR DIMENSIONS | 1960x602x853 mm SPECIFICATION | Zeus Plus model bench with backrest in sheet steel with a martele grey finish, with 6 guinea wood slats and stainless steel screws.



C-1006-MAR-GC DIMENSIONS | 1920x601x885 mm SPECIFICATION | Stainless Steel and Guinea wood



C-1023-PC DIMENSIONS | 2000x491x793 mm SPECIFICATION | Tauló model bench, with two steel supports with a corten color finish and 3 FSC® mix 70% certified coniferous wood slats



C-1006-PORT DIMENSIONS | 1800x657x783 mm SPECIFICATION Guinea Wood and Stainless Steel



C-1024-1800

DIMENSIONS | 1800x582x413 mm SPECIFICATION | Bench model Montserrat without feet to fix to a concrete surface with supports of steel painted in martelé and 6 slats of tropical wood,



C-109-SIN

DIMENSIONS | 2000x450x650mm

SPECIFICATION | Bench primed and pinted metal frame silver, and strips of wood from guinea treated and lasur

varnished with open pore. Without backrest.



C-1012

DIMENSIONS | 1800x350x474 mm

SPECIFICATION | Bench with steel legs painted in oxiron and 3 guinea wood slats, finished in open pore varnish.



C-1008-MET-MAR

DIMENSIONS | 1960x560x490 mm SPECIFICATION | Steel – Martele Grey



C-1008-MET-BLA

DIMENSIONS | 1900x560x490 mm SPECIFICATION | Steel painted white



C-1006-SIN-OX

DIMENSIONS | 1800x375x408 mm

SPECIFICATION | Guinea Wood and steel



C-1025-SIN

DIMENSIONS | 1810x503x412 mm

SPECIFICATION | Steel frame and Tropical Wood



C-1008-MET-MAR-M

DIMENSIONS | 1960x560x455 mm

SPECIFICATION | Steel – martele grey and Guinea wood



C-103-SIN

DIMENSIONS | 1800x580x486 mm

SPECIFICATION | Bench without backrest with steel feet painted in silver and strips of wood from guinea treated and lasur varnished with open pore.



C-1-ALTO
DIMENSIONS | 2000x725x783 mm
SPECIFICATION | Romantico bench of high leg of casting and 18 strips of wood from guinea varnished. varnished 2000 mm of length.



C-01-ALTO
DIMENSIONS | 2000x755x7710 mm
SPECIFICATION | laza real alto bench of 19 strips of wood from guinea of 2000x40x35 mm. And supports of casting finished with black forge oxiron painting.



C-107

DIMENSIONS | 1965x610x755 mm

SPECIFICATION | Bastide model bench with Guinea wood slats and GG-20 gray cast iron legs, measures: 1965 x 610 x 755 mm.



C-113

DIMENSIONS | 2000x629x700 mm

SPECIFICATION | Bench type Loira-Paris of 2000 mm long with strips of wood from guinea and supports of casting.



C-114

DIMENSIONS | 2000x594x756 mm

SPECIFICATION | Model Perpignan bench, with ductile iron legs painted in oxiron and 5 strips of tropical wood. With measures: 2000 x 594 x 756 mm.



C-119
DIMENSIONS | 2000x900x848.30 mm
SPECIFICATION | Double Bench type Versalles, of legs of casting and planks of wood from guinea



C-2
DIMENSIONS | 2045x726x909 mm

SPECIFICATION | Bench type ciutat of metallic structure of circular tube painted RAL 9006, of 23 strips of wood from guinea of 2000 mm large.



C-170
DIMENSIONS | 2000x626x740 mm
SPECIFICATION | Pillar-type bench with Guinea wood slats, open-pore varnished, with fungicide and insecticide treatment



BAN25X-MT

DIMENSIONS | 180x59x80cm.

SPECIFICATION | Bench with back rest and arm rests, composed of structure made of steel plate 60x8mm and 5 stripes of WPC* (wood plastic compound) of 110x35mm for seat and back rest.



BAN25X1-MT

DIMENSIONS | 180x59x80cm.

SPECIFICATION | Bench with back rest and arm rests, composed of structure made of steel plate 60x8mm and 5 stripes of WPC* (wood plastic compound) of 110x35mm for seat and back rest.



BAN28X-MT

DIMENSIONS | 194x65x79cm.

SPECIFICATION | Bench formed by a solid structure of strip steel of 100x8mm on the sides and of 70x8mm for the intermediate reinforcement



BAN24XR

DIMENSIONS | 300x60x85cm.


SPECIFICATION | Bench with structure composed of hot-dip galvanized metal feet of profile IPE 270, seat formed of 5 wooden beams of length 3m and profile 200x100mm and

backrest of wooden board of length 3m.



PK.44758/A WPC BENCH

DIMENSIONS | 680 x 1500 x 750 mm SPECIFICATIONS | Wood plastic composite



BAN26X-MT

DIMENSIONS | 185x40x40cm.

SPECIFICATION | wood plastic compound



BAN25XA-MT

DIMENSIONS | 180x50x52cm.

SPECIFICATION | Bench with back rest and arm rests, composed of structure made of steel plate 60x8mm and 5 stripes of WPC*



BAN23X

DIMENSIONS | 300x48x47cm.

SPECIFICATION Bench without backrest, with structure composed of hot-dip galvanized metal feet of profile IPE 270



41290/A BENCH

DIMENSIONS | 1560 x 1560 x 440 mm SPECIFICATION | Galvanized steel with powder coating. Wooden slats (Sapelli).




41288/A BENCH

DIMENSIONS | 620 x 1560 x 790 mm SPECIFICATION | Galvanized steel with powder coating. Wooden slats (Sapelli).




41292/A BENCH

DIMENSIONS | 540 x 1550 x 810 mm SPECIFICATION | Galvanized steel with powder coating. Wooden slats (Sapelli).



PK.41264/ABENCH

DIMENSIONS | -x 800 mm SPECIFICATION | Galvanized steel with powder coating. Wooden slats (Sapelli).



PK. 41269 BENCH

DIMENSIONS | 810 x 2510 x 770 mm SPECIFICATION | Galvanized steel with powder coating. Wooden slats (Sapelli).



PK.42253/A BENCH

DIMENSIONS | 680 x 1600 x 820 mm SPECIFICATION | Galvanized steel with powder coating. Wooden slats (Sapelli).



PK.41257/A BENCH

DIMENSIONS | 400 x 1600 x 660 mm SPECIFICATION | Galvanized steel with powder coating. Wooden slats (Sapelli).



PK.41276/A BENCH

DIMENSIONS | 410 x 1480 x 550 mm SPECIFICATION | Galvanized steel with powder coating. Wooden slats (Sapelli).



BENCH SIBELA / LS102

DIMENSIONS | 2900×530×420 mm

SPECIFICATIONS | Galvanized steel with powder coating.



BENCH BORDO / LB02

DIMENSIONS | 2900×530×420 mm

SPECIFICATIONS | Galvanized steel with powder coating. A seat and backrest consist of solid wooden boards.



BENCH INOA / LIN1

DIMENSIONS | 1800×646×772 mm

SPECIFICATIONS | Galvanized Steel with powder coating. A seat and backrest are made from solid wooden lamellas.



BENCH ALUMA / LIN1

DIMENSIONS | 1800×665×810 mm

SPECIFICATIONS | Side rails made of aluminium alloy.


Longitudinal connecting structure are galvanized steel with powder coating.





3D PRINTED BENCH

DIMENSIONS | 1600 x 525 x 470 mm SPECIFICATION | Reinforced concrete material. Concrete class is C35. Carbon Steel (ST37). Wooden slats (Sapelli).



IKON WOODEN BENCH

DIMENSIONS | 1180 x 450 x 613 mm SPECIFICATION | Reinforced concrete material. Concrete class is C35. Carbon Steel (ST37). Wooden slats (Sapelli).



SOHBET BENCH (6 Seats)

DIMENSIONS | 3091 x 3378 x 400mm

SPECIFICATION | Reinforced concrete material. Concrete class is C35. Carbon Steel (ST37). Wooden slats (Sapelli).



A MORPHOUS BANK

DIMENSIONS | 1700 x 410 x 420mm SPECIFICATION | Reinforced concrete material. Concrete class is C35.



AMBERBENCH

DIMENSIONS | 3390 x 825 x 540 mm SPECIFICATION | Reinforced concrete material. Concrete class is C35. Carbon Steel (ST37). Wooden slats (Sapelli).



CIHANGIR BENCH

DIMENSIONS | 2300 x 900 x 710 mm SPECIFICATION | Reinforced concrete material. Concrete class is C35. Carbon Steel (ST37). Wooden slats (Sapelli).



ASTRO BENCH

DIMENSIONS | 1480 x 625 x 773 mm SPECIFICATION | Reinforced concrete material. Concrete class is C35. Carbon Steel (ST37). Wooden slats (Sapelli).



QUARTER MODULE BENCH

DIMENSIONS | 1507 x 1397 x 600 mm SPECIFICATION | Reinforced concrete material. Concrete class is C35. Carbon Steel (ST37). Wooden slats (Sapelli).



CIZGI BENCH (WITH BACKREST)

DIMENSIONS | 2116 x 279 x 784 mm

SPECIFICATION | Reinforced concrete material. Concrete class is C35. Carbon Steel (ST37). Wooden slats (Sapelli).



CIZGI BENCH

DIMENSIONS | 2116 x 450 x 440 mm SPECIFICATION | Reinforced concrete material. Concrete class is C35. Carbon Steel (ST37). Wooden slats (Sapelli).



DENGEBENCH

DIMENSIONS | 2028 x 601 x 748 mm SPECIFICATION | Reinforced concrete material. Concrete class is C35. Carbon Steel (ST37). Wooden slats (Sapelli).



DEPO BENCH

DIMENSIONS | 580 x 433 mm

SPECIFICATION | Reinforced concrete material. Concrete class is C35. Carbon Steel (ST37), Wooden slats (Sapelli).



DIA BENCH (TYPE 2)

DIMENSIONS | 1500 x 1510 x 450 mm SPECIFICATION | Reinforced concrete material. Concrete class is C35. Carbon Steel (ST37), Wooden slats (Sapelli).



DINAMIC DOUBLE SIDED BENCH

DIMENSIONS | 1808 x 1151 x 700 mm SPECIFICATION | Reinforced concrete material. Concrete class is C35. Carbon Steel (ST37). Wooden slats (Sapelli).



DINAMIC BENCH

DIMENSIONS | 1760 x 580 x 600 mm SPECIFICATION | Reinforced concrete material. Concrete class is C35. Carbon Steel (ST37). Wooden slats (Sapelli).



DINAMIC BENCH

DIMENSIONS | 1760 x 580 x 600 mm SPECIFICATION | Reinforced concrete material. Concrete class is C35. Carbon Steel (ST37). Wooden slats (Sapelli).



GALATA BENCH

DIMENSIONS | 2226 x 571 x 557 mm SPECIFICATION | Reinforced concrete material. Concrete class is C35. Carbon Steel (ST37). Wooden slats (Sapelli).



GEOIST BENCH (SINGLE)

DIMENSIONS | 770 x 660 x 910 mm SPECIFICATION | Reinforced concrete material. Concrete class is C35. Carbon Steel (ST37). Wooden slats (Sapelli).



GEOIST MODULAR BENCH

DIMENSIONS | 1800 x 580 x 440 mm SPECIFICATION | Reinforced concrete material. Concrete class is C35. Carbon Steel (ST37). Wooden slats (Sapelli).



GEOTRIANGULAR BENCH

DIMENSIONS | 2170 x 1747 x 677 mm SPECIFICATION | Reinforced concrete material. Concrete class is C35. Carbon Steel (ST37). Wooden slats (Sapelli).



CONVEX HALIC BENCH

DIMENSIONS | 2470 x 648 x 735 mm SPECIFICATION | Reinforced concrete material. Concrete class is C35. Carbon Steel (ST37), Wooden slats (Sapelli).




CONCAVE HALIC BENCH

DIMENSIONS | 2250 x 570 x 735 mm SPECIFICATION | Reinforced concrete material. Concrete class is C35. Carbon Steel (ST37). Wooden slats (Sapelli).



BENCHISTANBUL TYPE 5

DIMENSIONS | 2400 x 800 x 415 mm SPECIFICATION | Reinforced concrete material. Concrete class is C35. Carbon Steel (ST37), Wooden slats (Sapelli).



BENCHISTANBULTYPE 1

DIMENSIONS | 4000 x 800 x 605 mm SPECIFICATION | Reinforced concrete material. Concrete class is C35. Carbon Steel (ST37), Wooden slats (Sapelli).



AMORF BENCH (WITH BACKREST)

DIMENSIONS | 1700 x 523 x 700 mm SPECIFICATION | Reinforced concrete material. Concrete class is C35. Carbon Steel (ST37). Wooden slats (Sapelli).



GEOIST BENCH

DIMENSIONS | 2050 x 800 x 860 mm SPECIFICATION | Reinforced concrete material. Concrete class is C35. Carbon Steel (ST37). Wooden slats (Sapelli).



OVAL GEOBENCH

DIMENSIONS | 2200 x 1189 x 675 mm SPECIFICATION | Reinforced concrete material. Concrete class is C35. Carbon Steel (ST37). Wooden slats (Sapelli).



GULF BANK WITH BACKREST

DIMENSIONS | 2800 x 630 x 887 mm SPECIFICATION | Reinforced concrete material. Concrete class is C35. Carbon Steel (ST37). Wooden slats (Sapelli).



MUVA BENCH

DIMENSIONS | 2516 x 522 x 709 mm SPECIFICATION | Reinforced concrete material. Concrete class is C35. Carbon Steel (ST37).



MUVA CIRCULAR BENCH

DIMENSIONS | 775 mm H
SPECIFICATION | Reinforced concrete material. Concrete class is C35. Carbon Steel (ST37).



MUVA OVAL BENCH

DIMENSIONS | 1950 x 900 x 401 mm SPECIFICATION | Reinforced concrete material. Concrete class is C35. Carbon Steel (ST37).



SOFT BENCH

DIMENSIONS | 2400 x 574 x 810 mm SPECIFICATION | Reinforced concrete material. Concrete class is C35. Carbon Steel (ST37). Wooden slats (Sapelli).



SOHBET BENCH (3 SEATS)

DIMENSIONS | 2700 x 2340 x 400 mm SPECIFICATION | Reinforced concrete material. Concrete class is C35. Carbon Steel (ST37), Wooden slats (Sapelli).



YELKEN BENCH

DIMENSIONS | 2000 x 577 x 735 mm SPECIFICATION | Reinforced concrete material. Concrete class is C35. Carbon Steel (ST37). Wooden slats (Sapelli).



IZ BENCH

DIMENSIONS | 3998 x 1009 x 739 mm SPECIFICATION | Reinforced concrete material. Concrete class is C35. Carbon Steel (ST37). Wooden slats (Sapelli).



KEMER BENCH

DIMENSIONS | 1815 x 460 x 435 mm SPECIFICATION | Reinforced concrete material. Concrete class is C35. Carbon Steel (ST37), Wooden slats (Sapelli).



YILDIZ BENCH

DIMENSIONS | 3040 x 2170 x 420 mm SPECIFICATION | Reinforced concrete material. Concrete class is C35. Wooden slats (Sapelli).



MEYDAN BENCH (DOUBLE)

DIMENSIONS | 1942 x 805 x 768 mm H
SPECIFICATION | Reinforced concrete material. Concrete class is C35. Wooden slats (Sapelli).



HALF MODULE BENCH

DIMENSIONS | 2790 x 1399 x 600 mm SPECIFICATION | Reinforced concrete material. Concrete class is C35. Wooden slats (Sapelli). Carbon Steel (ST37).



PATTERN BENCH

DIMENSIONS | 4150 x 2580 x 430 mm SPECIFICATION | Reinforced concrete material. Concrete class is C35. Wooden slats (Sapelli).



C-1008-BLA
DIMENSIONS | 2200x600x450 mm
SPECIFICATION | Bench of concrete type Zeus, with armor of

galvanized steel



C-1010
DIMENSIONS | 2500x600x450 mm
SPECIFICATION | Bench of concrete type ISIS, with armor of galvanized steel



C-1009
DIMENSIONS | 2000x500x440 mm
SPECIFICATION | Bench of concrete type Dolmen, with armor of galvanized steel



C-1008-BLA-RE
DIMENSIONS | 2200x600x893 mm
SPECIFICATION | Zeus bench in white, water-repellent prefabricated concrete without armrests with steel frame and smooth texture









BN 005 BN 006 BN 014 BN 020







BN 036








BN 003





C-1021-GRI



Precast Concrete Bench
DIMENSIONS | 1600mm x 1600mm x 1620 x 450mm



Precast Bench
DIMENSIONS | 900 x 900 x 900 x 500 mm





FS18 BENCH
DIMENSIONS | 1800 x 710 x 864 mm (Customizable)
SPECIFICATION | Steel with powder coating



FS61 BENCH

DIMENSIONS | Customizable

SPECIFICATION | Steel with powder coating



FS106 BENCH
DIMENSIONS | L1600mm/1800mm
SPECIFICATION | The chair surface is made of shear net steel with powder coating.



FS22 BENCH
DIMENSIONS | Customizable
SPECIFICATION | Steel and cast iron with powder coating.



O1098 BENCH
DIMENSIONS | Customizable
SPECIFICATION | Stainless/steel/aluminum/wood
METAL COLOR | As per RAL selection chart




FSO8 BENCH
DIMENSIONS | Customizable
SPECIFICATION | Steel with powder coating
METAL COLOR | As per RAL selection chart



FS104 BENCH
DIMENSIONS | 1600/1800/2000 mmm L
SPECIFICATION | Stainless/steel/aluminum with powder coating.



FS28 BENCH
DIMENSIONS | Customizable
SPECIFICATION | Steel and cast iron with powder coating.



01217 BENCH

DIMENSIONS | Customizable SPECIFICATION | Stainless/steel/aluminum with powder coating



FS16 BENCH

DIMENSIONS | 1800 x 650 x 805 (Customizable)
SPECIFICATION | Steel and cast iron with powder coating



FS45 BENCH

DIMENSIONS | Customizable
SPECIFICATION | Flat steel with powder coating.



FS92 BENCH

DIMENSIONS | Customizable SPECIFICATION | Stainless/steel/aluminum/wood; with powder coating.



FS53 BENCH

DIMENSIONS | Customizable
SPECIFICATION | Flat Steel with powder coating.



FS11 BENCH

DIMENSIONS | 1800 x 585 x 800 mm (Customizable)
SPECIFICATION | Stainless steel/steel



HALF MODULE BENCH

DIMENSIONS | Customizable
SPECIFICATION | Stainless/steel/aluminum/wood/plastic; with
powder coating.



FS47 BENCH

DIMENSIONS | Customizable

SPECIFICATION | Flat steel with powder coating.



FS30 BENCH
DIMENSIONS | Customizable
SPECIFICATION | Stainless with powder coating



FS19 BENCH
DIMENSIONS | Customizable
SPECIFICATION | Steel with powder coating



FS65 BENCH
DIMENSIONS | Customizable
SPECIFICATION | Flat steel with powder coating.



FS42 BENCH
DIMENSIONS | Customizable
SPECIFICATION | Flat steel with powder coating.



O1099 BENCH
DIMENSIONS | Customizable
SPECIFICATION | Stainless/steel/aluminum/wood; with powder coating.



FS20 BENCH
DIMENSIONS | 1800 x 630 x 860 mm (Customizable)
SPECIFICATION | Steel with powder coating.



STEEL SLOTTED CIRCULAR BENCH
DIMENSIONS | L: Custom, H: 475 mm, W: 640 mm
SPECIFICATION | Hot Dipped Galvanized steel with powder coating.



FS24 BENCH
DIMENSIONS | 1400 x 520 x 440 mm (Customizable)
SPECIFICATION | Steel with power coating.



C-1018

DIMENSIONS | 638x774 mm

SPECIFICATION | Maverik bank model with legs ductile cast iron painted in martele. Seat and back in steel plate painted in martele. Finished with primer and painted in the oven.

Measurements: 1,810 x 638 x 774 mm.



C-111

DIMENSIONS | 200x451.86x804.40 mm SPECIFICATION | Bench of casting of 2000 mm. large. Painted in black forge oxiron



C-1019

DIMENSIONS | 638x777 mm

SPECIFICATION | StAbstract bench model with legs ductile cast iron painted in martele. Seat and back in steel plate painted in martele. Finished with primer and painted in the oven. Measurements: 1,810 x 638 x 777 mm.



C-8

DIMENSIONS 2090X750X890 mm SPECIFICATION | Bench without armrests with tubular structure and perforated sheet of galvanized steel and painted in silver.




C-1011

DIMENSIONS | 1700x615x775 mm SPECIFICATION | Bench model Laforest, completely in ductile casting, finished with oxiron epoxy backed painting.



C-8-1011

DIMENSIONS | 2100x750x890 mm SPECIFICATION | Bench of die-casting plate and painted in black color and support of metallic tube.



C-8

DIMENSIONS | 1948x436.40x875 mm SPECIFICATION | Cerdanyola model bench with galvanized metal structure and painted silver. Measurements: 2000 mm long x 875 mm high.



C-106-METAL

DIMENSIONS | 1795x675x840mm SPECIFICATION | Modo type bench with steel legs and slats, oven-baked epoxy painted.



SEEDIA BUS SHELTER

DIMENSIONS | 2400 H x 1520 W x 850 mm or 1700 D (Roof) mm SPECIFICATIONS | Made of steel with multilayer lacquer coating. Bus shelters are made of glass. Sides wall are made of tempered glass plates.



SEEDIA FUTURE

DIMENSIONS | 440 H x 2000 W x 565 D mm; SPECIFICATIONS | Solar power 80 W. Structural steel, tempered glass, opal acrylic glass.





SEEDIA NEW URBAN

DIMENSIONS | 860 H x 1600 W x 695 D mm SPECIFICATIONS | Solar power 90 W. Galvanized steel, wood



DIMENSIONS | 908 H x 1780 W x 973 D mm; Backrest 490 mm SPECIFICATIONS | Solar power 80 W. Steel, tempered glass.



CITY CLASSIC

DIMENSIONS | 908 H x 1780 W x 627 D mm; Backrest 490 mm SPECIFICATIONS | Solar power 80 W. Steel, tempered glass.





CWD-Solar-010

Size: 1700*450*450mm | Solar panel: 90w monocrystalline

silicor

Energy storage battery: lithium iron phosphate battery

Controller: MPPT | Weight: About 60kg

USB Charger: 2PCS | Mobile phone wireless charging: 2PCS

Atmosphere lamp: Led lamp strip | Bluetooth speaker:

Bluetooth music

Playback WIFI: Industrial-grade 4g module



CWD-Solar-010

Size: 1700*450*450/580mm | Solar panel: 90w monocrystalline

silico

Energy storage battery: lithium iron phosphate battery

|Controller : MPPT

Weight: About 70kg | USB Charger: 2PCS | Mobile phone wireless charging: 2PCS | Atmosphere lamp: Led lamp strip |

Bluetooth speaker: Bluetooth music playback

WIFI: Industrial-grade 4g module



CWD-Solar-010

Size: 1800*450*450mm | Material: Galvanized steel plate Energy storage battery: lithium iron phosphate battery

|Controller: MPPT

Weight: 约60kg | USB Charger: 2PCS | Mobile phone wireless charging: 2PCS | Mobile phone wireless charging: 2PCS

Bluetooth speaker: Bluetooth music playback

WIFI: Industrial-grade 4g module



CWD-Solar-010

Size: 1700*450*450mm | Solar panel: 90w monocrystalline

Energy storage battery: lithium iron phosphate battery

Controller: MPPT | Weight: About 60kg | USB Charger: 2PCS Mobile phone wireless charging: 2PCS | Atmosphere lamp: Led lamp strip | Bluetooth speaker: Bluetooth music playback

WIFI: Industrial-grade 4g module



CWD-Solar-010

Size: 2000*460*480mm | Solar panel: 90w

monocrystalline silicon

Energy storage battery: lithium iron phosphate battery Controller: MPPT | Weight: About 70kg | USB Charger

: 2PCS

Mobile phone wireless charging : 2PCS | Atmosphere lamp: Led lamp strip | Bluetooth speaker: Bluetooth

music playback

WIFI: Industrial-grade 4g module



CWD-Solar-011

 ${\sf Material: galvanized\ steel\ plain\ sheet\ |\ Size:}$

1800*550*450/730mm

Solar panel: 90w monocrystalline silicon | Energy storage battery: lithium iron phosphate battery | Controller : MPPT | Weight :

About 70kg

USB charger: 2PCS | Mobile phone wireless charging: 2PCS Atmosphere lamp: LED light strip | Bluetooth speaker:

Bluetooth music

Playback | WIFI : Industrial-grade 4g module



CWD-Solar-012

 ${\sf Material: galvanized\ steel\ plain\ sheet\ |\ Size:}$

2460*450*450/730mm

Solar panel: 130w monocrystalline silicon | Energy storage battery: lithium iron phosphate battery | Controller: MPPT |

Weight: About 80kg

USB charger: 2PCS | Mobile phone wireless charging: 2PCS

Atmosphere lamp: LED light strip | Bluetooth speaker:

Bluetooth music playback



CWD-Solar-010

Size: 1800*450*450mm | Solar panel: 90w monocrystalline

silico

Energy storage battery: lithium iron phosphate battery

Controller: MPPT | Weight: About 70kg | USB Charger: 2PCS Mobile phone wireless charging: 2PCS | Atmosphere lamp: Led lamp strip | Bluetooth speaker: Bluetooth music playback

WIFI: Industrial-grade 4g module



CWD-Solar-019

Material : galvanized steel plain sheet Size : 2030*680*430/3090mm

Solar panel:110w monocrystalline silicon

Energy storage battery: lithium iron phosphate battery

Controller: MPPT | Weight: About 120kg

USB charger: 2PCS | Mobile phone wireless charging:

2PCS

Atmosphere light: led lamp+advertising light box Bluetooth speaker: Bluetooth music playback



CWD-Solar-023

Material: galvanized steel plain sheet Size: 2960*1200*450/2500mm Solar panel:90w monocrystalline silicon

Energy storage battery: lithium iron phosphate battery

Controller: MPPT | Weight: About 120kg

USB charger: 4PCS | Mobile phone wireless charging

: 2PCS

Atmosphere light: led lamp | Bluetooth speaker:

Bluetooth music playback

WIFI: Industrial-grade 4g module



CWD-Solar-024

Material: galvanized steel plain sheet Size: 1600*1600*450/2500mm Solar panel:90w monocrystalline silicon Energy storage battery: lithium iron phosphate

battery

Controller: MPPT | Weight: About 00kg

USB charger: 4PCS | Mobile phone wireless charging

: 2PCS

Atmosphere lamp: led flexible lamp strip



CWD-Solar-010

Material: galvanized steel plain sheet Size: 2125*1690*450/2370mm Solar panel:360w monocrystalline silicon Energy storage battery: lithium iron phosphate

battery

Controller: MPPT | Weight: About 200kg USB charger: 4PCS | Mobile phone wireless

charging: 2PCS

Atmosphere light: led lamp | Bluetooth speaker:

Bluetooth music playback

WIFI: Industrial-grade 4g module





MODO08-PLAST chair / 08PLAST-0860

DIMENSIONS | 860 x 595 x 830 mm.

SPECIFICATION | MODO08-PLAST model chair, with seat and back made of polypropylene and polyamide feet,
UV treated



Heba Polyethylene Bench / C-1020-PLAST

DIMENSIONS | 2000x500x490 mm SPECIFICATION | Heba Bench made of polyethylene has a % recycled plastic from selective waste collection, with UV protection



MODO08-PLAST bench / 08PLAST-1650

DIMENSIONS | 1650 x 595 x 830 mm.

SPECIFICATION | MODO08-PLAST model bench, with seat and back made of polypropylene and polyamide feet, UV treated



Zeus Polyethylene Bench / C-1008-PLAST

DIMENSIONS | 1960x600x450 mm SPECIFICATION | Zeus Bench made of polyethylene, has a % recycled plastic from selective waste collection, with UV protection



MODO08-PLAST bench / 08PLAST-2440

DIMENSIONS | 2440 x 595 x 830 mm.

SPECIFICATION | MODO08-PLAST model bench, with seat and back made of polypropylene and polyamide feet, UV treated



Heba Curved Bench 45º

DIMENSIONS | 572x530x490 mm

SPECIFICATION | CBench Heba Curved 45° made of polyethylene, has a % of recycled plastic from selective waste collection, with UV protection



MODO08-PLAST bench / 08PLAST-3230

DIMENSIONS | 3230 x 595 x 830 mm.

SPECIFICATION | MODO08-PLAST model bench, with seat and back made of polypropylene and polyamide feet, UV treated



Heba Cub Bench in Polyethylene

DIMENSIONS | 500x500x490 mm

SPECIFICATION Heba Cub Bench made of polyethylene, has a % recycled plastic from selective waste collection, with UV protection



Modo Bench Polyethylene / C-106-PLAST

DIMENSIONS | 1700 x 742 x 830 mm

SPECIFICATION | Modo Bench of high quality

Polyethylene, treated with UV, without maintenance, antigrafitti and great robustness



Bench Alvium / C-1017

DIMENSIONS | 1700*720*760mm.

SPECIFICATION | High quality polyethylene bench.

Ecological and recyclable. Excellent behavior to UV rays and marine environments. High resistance to chemical agents and impacts. Unalterable against parasites, fungi.



Maverick Bench Polyethylene ECO OCEAN.

DIMENSIONS | 1700*742*832 mm

SPECIFICATION | Bench made of thermoplastic material recovered from marine origin, with great robustness, does not require maintenance, with stainless steel screws and UV protection.



Bench Maverik Polyethylene / C-1018-PLAST

DIMENSIONS | 1700 x 742 x 830 mm

SPECIFICATION | Bench Maverik of high quality polyethylene, treated with UV, without maintenance, antigrafitti and great robustness



PS-2-R RECYCLED BENCH

DIMENSIONS | 840mm Height x 1350mm Length x 620mm Depth

SPECIFICATIONS | All Struts are made from 100% recycled material and are available in black only.



PB-4-R RECYCLED BENCH

DIMENSIONS | 410mm Height x 2050mm Length x 560mm

SPECIFICATIONS | All Struts are made from 100% recycled material and are available in black only.



PB-3-R RECYCLED BENCH

DIMENSIONS | 410mm Height x 1850mm Length x 560mm Depth

SPECIFICATIONS | All Struts are made from 100% recycled material and are available in black only.



PS-3-R RECYCLED BENCH

DIMENSIONS | 840mm Height x 1850mm Length x 620mm Denth

SPECIFICATIONS | All Struts are made from 100% recycled material and are available in black only.



PT-R RECYCLED BENCH

SPECIFICATIONS | All Struts are made from 100% recycled material and are available in black only.



PTB-R RECYCLED BENCH

DIMENSIONS

Bench- 410mm Height x 1850mm Length x 560mm Depth Table - 720mm Height x 2050mm Length x 680mm Depth



PTS-6-R, PTS-8-R RECYCLED BENCH

DIMENSIONS

Seat - 840mm Height x 1850mm Length x 620mm Depth
Table - 720mm Height x 2050mm Length x 620mm Depth



AFPBM RECYCLED BENCH

DIMENSIONS | 740mm Length x 720mm Width x 570mm Height.



MSF-6 CHILDREN SEATING

DIMENSIONS | 510mm Height x 510mm Width x 2360 x 5 Length

SPECIFICATIONS | All Struts are made from 100% recycled material.



LA-T CHILDREN SEATING

DIMENSIONS | 380mm Height x 4050mm Width SPECIFICATIONS | All Struts are made from 100% recycled material. Supplied in a selection of bright plain colours.



JB-3 CHILDREN SEATING

DIMENSIONS | 380mm Height x 1200mm Length x 310mm depth

SPECIFICATIONS | All Struts are made from 100% recycled material. Supplied in a selection of bright plain colours.



MSP-6 CHILDREN SEATING

DIMENSIONS | 510mm Height x 510mm Width x 2360 x 5

SPECIFICATIONS | All Struts are made from 100% recycled material.



JTB-6 CHILDREN SEATING

SPECIFICATIONS | All Struts are made from 100% recycled material. Supplied in a selection of bright plain colours.



LA CHILDREN SEATING


DIMENSIONS | 380mm Height x 4050mm Width
SPECIFICATIONS | All Struts are made from 100% recycled
material. Supplied in a selection of bright plain colours.



MSP-2 CHILDREN SEATING

DIMENSIONS | 510mm Height x 510mm Width x 2360mm Length

SPECIFICATIONS $\,|\,$ All Struts are made from 100% recycled material.



SPI-18 CHILDREN SEATING

DIMENSIONS | 380mm Height x 4250mm Length x 4250mm

SPECIFICATIONS | All Struts are made from 100% recycled material. Supplied in a selection of bright plain colours.



THANK YOU!

MODERN GARDENS FOR GARDENS EQUIPMENT TRADING LLC

UAE

P.O Box No.:128619 Abu Dhabi UAE | Tel.: +971 2 650 8039 | Fax: +971 2 673 5995 Email: moderngardens@gmail.com | marketing.moderngardens@gmail.com

Bahrain

P.O Box No.: 11169 Manama, Kingdom of Bahrain

Mobile: +973 66628877 | Email: bahrain.moderngardens@gmail.com

KSA

Building No. 6871, King Abdulaziz Rd, Al Sahafa District, Riyadh, Saudi Arabia

Tel.: +966 11 221 8809 | Email: moderngardens.ksa@gmail.com

Website: www.moderngardensuae.com





