





BENCHES





ONE BENCH DIMENSIONS | 1800 x 760 x 828mm



VELA BENCH



DINA BENCH DIMENSIONS | 1800 x 740 x 795mm



VEGA BENCH DIMENSIONS | 2000 x 700 x 795mm



BOROLA BENCH DIMENSIONS | 1800 x 734 x 784mm





TWISTULA BENCH
DIMENSIONS | 3200x 400x 440mm



BETLA BENCH DIMENSIONS | 1800 x 676 x 770mm



NISHA BENCH Dimensions | 1800 x 665 x 765mm



EKTA BENCHDIMENSIONS | 1800x 624x 793mm



BORDO BENCH
DIMENSIONS | 3000x 530x 683mm



ALUMA BENCH
DIMENSIONS | 1800 x 665 x 810mm






ROBUSTA BENCH DIMENSIONS | 3000x726x800mm



RADIANO BENCH DIMENSIONS | 440 x 435 x 1000mm



INOA BENCH
DIMENSIONS | 1800 x 646 x 772mm



SIBELA BENCH
DIMENSIONS | 1800 x 476 x 444mm



ROSTY BENCH
DIMENSIONS | 2840x1386x420mm



SADKA BENCH DIMENSIONS | 1800 x 667 x 798mm





BLED BENCHDIMENSIONS | 600 x 600 x 425mm



PENTA ISLANDS BENCH
DIMENSIONS | 612x 531x 460mm





ELEGANT BENCH
DIMENSIONS | 1800 X 460 X 457mm




SOFT BANKDIMENSIONS | 2400x 574x 810mm



SAIL BENCH
DIMENSIONS | 2000 x 577.5 x 735mm



CLUSTER SEATING GROUP BENCH
DIMENSIONS | 2000 x 515 x 400mm



WOODEN ICON BENCH
DIMENSIONS | 1180 x 450 x 613mm



GULF BANK WITH BACKREST DIMENSIONS | 1332 x 630 x 877mm





GULF BANK DIMENSIONS | 950 x 630 x 455mm



INTERMITTENT CORD BENCH DIMENSIONS |



PARK SUNBED BENCH
DIMENSIONS | 1995 x 2200 x 920mm



KORDON BENCH DIMENSIONS |



PARK SUNBED
DIMENSIONS | 1985 x 1690 x 924mm



BICYCLE KENT BENCH DIMENSIONS | 2500 x 585 x 691mm





BICYCLE-FREE KENT BANK
DIMENSIONS | CUSTOMIZE x 585 x 680mm



GEO TRIANGLE BENCHDIMENSIONS | 2170x1747x677mm




KENT CASTING BENCH (WITHOUT ARMREST)
DIMENSIONS | 942 x 942 x 930mm



YILDIZ BANK Dimensions | 3040x 2170x 420mm



GEO OVAL BENCHDIMENSIONS | 2200x1189x675mm



MUVA BANK DIMENSIONS | 2516x 522 x 709mm





MUVA CIRCULAR BENCH
DIMENSIONS | 2100x 2100x 775mm



DIA BANK TYPE 2
DIMENSIONS | 1500x1510x450mm



MUVA OVAL BANK
DIMENSIONS | 1950 x 900 x 401mm



PATTERN BANK TYPE 1
DIMENSIONS | 4150x 2580x 430mm



DIA BANK TYPE 1
DIMENSIONS | 1500x 1510x 450mm



ARMONI BENCH
DIMENSIONS | 2000 x 700 x 470mm





AMBER BANK
DIMENSIONS | 3390 x 825 x 540mm



CAMLICA BANK
DIMENSIONS | 2500x 488 x 679mm



LAPIS BENCH (WITH BACK)
DIMENSIONS | 3330 x 800 x 813mm



LINEAR BANK
DIMENSIONS | 2120 x 500 x 450mm



LAPIS BANK
DIMENSIONS | 3330 x 800 x 540mm



SMART BANK
DIMENSIONS | 2340 x 1270 x 3020mm





DELICATE BENCH WOODDIMENSIONS | 3200x 380x 460mm



NARI BENCH CONCRETE SINGLE DIMENSIONS | 1600 x 380 x 460mm



NARIN BANK CONCRETE
DIMENSIONS | 3200 x 380 x 460mm



MARTI BENCH CONCRETE BLACK
DIMENSIONS | 3295 x 384 x 475mm



NARIN BENCH WOODEN SINGLE DIMENSIONS | 1600 x 380 x 460mm



MARTI BENCH CONCRETE WHITE DIMENSIONS | 3295 x 384 x 475mm





DAMLA BANK
DIMENSIONS | 1671 x 509 x 542mm



GEOIST MODULAR BENCHDIMENSIONS | 1800 x 580 x 440mm



GEOIST BANKDIMENSIONS | 2057 x 800 x 860mm



MEYDAN BANK (SINGLE)
DIMENSIONS | 975 x 805x 768mm



GEOIST BANK (SINGLE)DIMENSIONS | 770x660x910mm



MEYDAN BANK (DOUBLE)
DIMENSIONS | 1942 x 805 x 768mm





AMORPHOUS BANK INTERMITTENT DIMENSIONS | 1700x 410x 420mm



WAREHOUSE BENCH
DIMENSIONS | 1800 x 580 x 433mm



AMORPHOUS BANK
DIMENSIONS | 1700x 410x 420mm



AMBER BANK
DIMENSIONS | 3390 x 825 x 815mm





EXPO BENCH
DIMENSIONS | 2300 x 3000 x 390mm



CHAT BENCH SIX

DIMENSIONS | 3380 x 3900 x 400mm



ÜSKÜDAR BENCH Dimensions | 490 x 3220 x 685mm



HONEYCOMB BANK
DIMENSIONS | 1000 x 3732 x 500mm



CHAT BANK TRIPLE
DIMENSIONS | 2340 x 2700 x 400mm



BOW BENCH
DIMENSIONS | 700 x 3180 x 810mm





MARMARA BENCH DIMENSIONS | 750x 2700x 744mm



WAVE BENCH WITH RESERVOIR
DIMENSIONS | 1107 x 3020 x 640mm



MEYDAN BENCH
DIMENSIONS | 1239 x 3000 x 700mm



TURE BENCH
DIMENSIONS | 600 x 3040 x 460mm



WAVE BENCH
DIMENSIONS | 1030 x 3020 x 640mm



BENCH ISTANBUL TYPE 1
DIMENSIONS | 800 x 4000 x 605mm





BENCH ISTANBUL TYPE 2 DIMENSIONS | 580 x 1760 x 600mm



BENCH ISTANBUL TYPE 5
DIMENSIONS | 640 x 1960 x 540mm



BENCH ISTANBUL TYPE 3
DIMENSIONS | 1151 x 1808 x 700mm



BENCH ISTANBUL TYPE 6
DIMENSIONS | 530x1752x690mm



BENCH ISTANBUL TYPE 4
DIMENSIONS | 640 x 1800 x 540mm



BENCH ISTANBUL TYPE 7
DIMENSIONS | 530x1752x420mm






CIHANGIR BENCH
DIMENSIONS | 1200 x 4000 x 710mm



EMIRGAN BENCH
DIMENSIONS | 890 x 980 x 700mm



CIHANGIR BENCH WITH REST DIMENSIONS | 720 x 2300 x 710mm



DEKO WOODEN BENCH DIMENSIONS | 640 x 1960 x 540mm



CIHANGIR BENCH WITHOUT REST DIMENSIONS | 900 x 2300 x 405mm



DAVET BENCH WITH REST DIMENSIONS | 530x1752x690mm





DAVE BENCH WITHOUT REST DIMENSIONS | 530x1752x420mm



DEKO CONCRETE BENCH DIMENSIONS | 640 x 1800 x 540mm



DYNAMIC SINGLE SIDE BENCH DIMENSIONS | 580 x 1760 x 600mm



LINE BENCH WITH BACK
DIMENSIONS | 579 x 2116 x 765mm



DYNAMIC DOUBLE SIDED BENCH
DIMENSIONS | 1151 x 1808 x 700mm



LINE BENCH
DIMENSIONS | 450 x 2116 x 440mm





CONCAVE HALIC BENCHDIMENSIONS | 570x 2250x 735mm



HALF MODUL BENCH DIMENSIONS | 1399 x 2790 x 600mm



CONVEX HALIC BENCH
DIMENSIONS | 648 x 2470 x 735mm



QUARTER MODUL BENCH DIMENSIONS | 1397x1507x600mm



LIPSO BENCH
DIMENSIONS | 640 x 3280 x 806mm



IZ BENCH
DIMENSIONS | 1009 x 4223 x 739mm






TRACE CONVEX BENCH
DIMENSIONS | 768 x 2130 x 739mm



ASTRO BENCH DIMENSIONS | 625 x 1480 x 773mm



TRACE CONCAVE BENCH
DIMENSIONS | 648 x 2470 x 735mm



KEMER BENCH
DIMENSIONS | 450x1800x450mm



BALANCE BENCH
DIMENSIONS | 768 x 2130 x 739mm



MOSAIC BENCH
DIMENSIONS | 658 x 1480 x 737mm





NATURAL BENCH DIMENSIONS | 765 x 1540 x 750mm



GUNES BRIDGE BENCH WITHOUT REST DIMENSIONS | 800 x 3188 x 540mm



GALATA BENCH
DIMENSIONS | 570 x 2266 x 557mm



AEGEAN BRIDGE BENCH WITHOUT REST DIMENSIONS | 800 x 3195 x 600mm



GUNES BRIDGE BENCH WITH REST DIMENSIONS | 800 x 3188 x 795mm



SOLAR BANKDIMENSIONS | 1508 x 1881 x 600mm





SUN OVAL BENCH
DIMENSIONS | 1480x1900x540mm



DÜZ CAST BENCH
DIMENSIONS | 472 x 1500 x 704mm



TRIPLE CAST IRON ISTON BENCH
DIMENSIONS | 580 x 1545 x 750mm



OREON CAST IRON BENCH
DIMENSIONS | 670x1574x800mm



DÜZ CAST PINE BENCH
DIMENSIONS | 472x1500x704mm



INCI CAST IRON BENCH DIMENSIONS | 650 x 1540 x 730mm





DOLFIN CAST IRON BENCHDIMENSIONS | 565 x 1480 x 745mm



RÜZGAR CAST IRON BENCH DIMENSIONS | 428 x 1480 x 420mm



SAHIL CAST IRON BENCH
DIMENSIONS | 553x1480x745mm




TRIPLE ELIF BENCH
DIMENSIONS | 695 x 1550 x 790mm





CHAISE BENCH

MATERIALS | Available in Single & Double Configurations | Width: 600mm or 1200mm, Mild Steel Construction, Hot Dip Galvanised, HardWood Timber Slats, Bolt Down Attachment, Powder Coat Finish



DELTA BENCH

MATERIALS | Cast Aluminum Construction, HardWood Timber Slats Length 1800mm, Bolt DoWn Attachment, PoWder Coat or Mill Finish



CIVIC BENCH

MATERIALS | Mild Steel Frame, HardWood Timber or Aluminum Slats, Length 1800 mm Concealed Bolt DoWn Attachment, PoWder Coat or Mill Finish



FIESTA BENCH

MATERIALS | Cast Aluminum Construction, HardWood Timber Slats Length 1800mm, Bolt DoWn Attachment PoWder Coat Finish



FORESHORE BENCH

MATERIALS | Cast Aluminum Construction, HardWood Timber Slats Length 1800mm, Bolt DoWn Attachment, PoWder Coat Finish



FULCRUM BENCH

MATERIALS | Mild Steel Construction, Hot Dipped Galvanized HardWood Timber Slats, Length 1800mm, Bolt DoWn or In Ground Attachment, PoWder Coat Finish



FRANKSTON BENCH

MATERIALS | Mild Steel Construction, Hot Dipped Galvanized, HardWood Timber Slats, Length 1800 mm Bolt DoWn or In Ground Attachment, PoWder Coat Finish



LYNDARUM BENCH

MATERIALS | 304 Grade Stainless Steel Construction, HardWood Timber Slats Length 1800 mm, Also Available With Armrests, Bolt DoWn or In Ground Attachment







METRO BENCH

MATERIALS | Cast Aluminum Construction, Polished Arm Rests, HardWood Timber or Aluminum Slats, Length 1800 mm, Concealed Bolt DoWn Attachment, PoWder Coat or Mill Finish





PROMENADE BENCH

MATERIALS | Cast Aluminum Construction, Polished Arm Rests, 304 Grade Stainless Steel Legs, HardWood Timber or Aluminum Slats, Length 1800 mm, Bolt DoWn or In Ground Attachment, PoWder Coat or Mill Finish





PARK BENCH

MATERIALS | Mild Steel Construction, Hot Dipped Galvanized, HardWood Timber Slats, Length 1800 mm Bolt DoWn Attachments, Powder Coat Finish





PREMIER BENCH

MATERIALS | Cast Aluminum Construction, HardWood Timber Slats Length 1800mm, Bolt DoWn Attachment, Powder Coat Finish





ROTHERMAN BENCH

MATERIALS | Cast Aluminum Construction, HardWood Timber Slats, Length 1800 mm Bolt DoWn Attachment, PoWder Coat Finish



CUSTOMIZED BENCH DESIGNS
MATERIALS | CAST ALUMINUM AND HARDWOOD TIMBER



WOODGROVE BENCH

MATERIALS | Mild Steel Construction, Hot Dipped Galvanized, HardWood Timber or Aluminum Slats Length 1800mm, Bolt DoWn or In Ground Attachment, PoWder Coat Finish







PK. 41251DIMENSIONS | 690 x 1640 x 790mm



PK. 41253 Dimensions | 680x1600x820mm



PK. 41256DIMENSIONS | 620 x 1600 x 760mm



PK. 41257 DIMENSIONS | 400 x 1600 x 660mm



PK. 41260 DIMENSIONS | 540x1700x500mm



PK. 41259 DIMENSIONS | 800 x 1600 x 780mm







PK. 41261DIMENSIONS | 550 x 15450 x 800mm



PK. 41263 Dimensions | 600 x 1100 x 700mm



PK. 41262 DIMENSIONS | 550 x 1450 x 800mm

METAL PAINT | ELECTROSTATIC PAINT PAINTING METHOD | VACUUM IMPREGNATION

WOOD TYPE | 1. CLASS IMPORTED SCOTS PINE / VERZALIT



PK.41287/ADIMENSIONS | 510x1560x440mm



PK.41288/A
DIMENSIONS | 620x1560x790mm



PK.41289/ADIMENSIONS | **620** x 1560 x 790mm





PK.41290/A DIMENSIONS | **1560** x 1560 x 400mm



PK.41291/A DIMENSIONS | 510x1490x460mm



PK.41292/A DIMENSIONS | 540x1550x810mm



PK.41293/A DIMENSIONS | **620** x 1610 x 810mm



PK. 41276 DIMENSIONS | 410x1480x550mm



PK. 41277 DIMENSIONS | 420x1500x450mm





PK. 41265DIMENSIONS | 460 x 680 x 460mm



PK. 41264 DIMENSIONS | Diameter 2800mm





BENCH SIENA / PSI01

DIMENSIONS | 1920mm x 570mm 420/800cm SEAT HEIGHT | 420mm

SPECIFICATIONS | Bench consisting of tubular frame in hot-galvanized and painted steel, seat and backrest With 8 beveled and rounded boards, thickness 43 mm, painted in pale drilled With holes for anchoring to ground.



BENCH COMFORT / PCF195

DIMENSIONS | 1940 x 570 x 400/790mm

SPECIFICATIONS | Seat/backrest With six beveled and rounded boards, thickness 43 mm.



BENCH VENEZIA / PVEO1 DIMENSIONS | 1870 x 620 x 800mm



Walnut,





BENCH PICADILLY / PCY150

BENCH VERONA / PVR01

DIMENSIONS | 1500 x 600 x 920mm

DIMENSIONS | 1940 x 570 x 800mm

SPECIFICATIONS | Tubular frame in hot-galvanized / hot-galvanized and painted steel, seat/backrest With six beveled and rounded boards, thickness 43 mm, drilled With holes for anchoring to ground.





BENCH RIVA / PRI195

DIMENSIONS | 1500 x 1500 x 640mm

SPECIFICATIONS | Tubular frame in hot-galvanized steel, seat/backrest With seven beveled and rounded boards, thickness 43 mm, prearranged only for cementing to the ground.







BENCH ROMA / PRMO1P DIMENSIONS | 1500 x 1500 x 640mm

SPECIFICATIONS | Seat/backrest With eleven beveled and rounded boards, thickness 43 mm, painted in pale Walnut, three stays in hot-galvanized and painted steel, drilled With holes for anchoring to ground.





BENCH TORINO / PBGL175

DIMENSIONS | 1750/194 x 570 x 790mm

SPECIFICATIONS | Frame in steel "U" profiles, hot-galvanized / hot-galvanized and painted, seat/backrest With five rounded and stondate boards, thickness 33 or 43 mm.





PARK BENCH LP014.2 Length: 1634 mm Width: 410 mm Height: 400 mm




PARK BENCH LPO13.2 Length: 1836 mm Width: 507 mm Height: 400 mm


MATERIALS | GALVANIZED STEEL, POWER COATED AND HARDWOOD TIMBER



PARK BENCH LP014 Length: 1200 mm Width: 410 mm Height: 400 mm



PARK BENCH LP013.1 Length: 1836 mm Width: 655 mm Height: 786 mm



PARK BENCH LP014.1 Length: 1197 mm Width: 410 mm Height: 400 mm



DOUBLE LINE BENCH LP006.1 Length: 1710 mm Width: 415 mm Height: 406 mm





PARK BENCH LPO15 Length: 1520 mm Width: 480 mm Height: 399 mm



PARK BENCH LPO17 Length: 1474 mm Width: 450 mm Height: 400 mm



PARK BENCH LP015.1 Length: 1520 mm Width: 480 mm Height: 400 mm



PARK BENCH LPO18 Length: 1800 mm Width: 572 mm Height: 775 mm



PARK BENCH LPO16 Length: 1474 mm Width: 475 mm Height: 600 mm



PARK BENCH LPO19 Length: 1800 mm Width: 450 mm Height: 475 mm






PARK BENCH LPO63 Length: 1760 mm Width: 587 mm Height: 690 mm



DOUBLE LINE PARK BENCH LP006 Length: 1710 mm Width: 503 mm Height: 791 mm



PARK BENCH LPO64 Length: 1710 mm Width: 524 mm Height: 715 mm



PARK BENCH LPO13 Length: 1836 mm Width: 655 mm Height: 786 mm



BENCH LPO65 Length: 1604 mm Width: 704 mm Height: 751 mm



PLASMA BENCH WITH BACKSEAT LPO11 Length: 1708 mm Width: 668 mm Height: 866 mm





RADIUS PARK BENCH LPOO3 Length: 1680 mm Width: 560 mm Height: 769 mm



PARK BENCH LPO83 Length: 1805 mm Width: 551 mm Height: 686 mm



WAVE PARK BENCH LPOO2 Length: 1710 mm Width: 566 mm Height: 845 mm



BENCH \$722.1 -Length: 1620 mm Width: 770 mm Height: 820 mm



CURVED BENCH LPO12 (section) Length: 1145 mm Width: 400 mm Height: 400 mm



PARK BENCH LP033 Length: 1802 mm Width: 400 mm Height: 400 mm





PARK BENCH LPO30 Length: 1800 mm Width: 458 mm Height: 411 mm



PLASMA BENCH LPO11.1 Length: 1708 mm Width: 450 mm Height: 473 mm



PARK BENCH LPO31 Length: 1800 mm Width: 458 mm Height: 411 mm



RADIUS BENCH LPOO3.1 Length: 1680 mm Width: 473 mm Height: 435 mm



BENCH WITH PLYWOOD SEAT \$741 Length: 1200 mm Width: 360 mm Height: 450 mm



WAVE BENCH LPOO2.1 Length: 1710 mm Width: 421 mm Height: 400 mm





PARK BENCH LPO61 Length: 1760 mm Width: 589 mm Height: 809 mm



LPO75 PARK BENCH Length: 1800 mm Width: 519 mm Height: 775 mm



BENCH LPO62 Length: 1620 mm Width: 539 mm Height: 690 mm



BENCH PARK "WAVE" LPOO2P Length: 1710 mm Width: 566 mm Height: 845 mm



BENCH \$722.1Length: 1620 mm Width: 770 mm Height: 820 mm



BENCH S708.1 Length: 1535 mm Width: 668 mm Height: 953 mm





PARK BENCH LP016.1 Length: 1805 mm Width: 450 mm Height: 400 mm



LPO32 PARK BENCH Length: 1820 mm Width: 930 mm Height: 1230 mm



LPO35-1.7 BENCH Length: 1750 mm Width: 693 mm Height: 763 mm




LPO34 ROUND BENCH Length: 3000 mm Width: 3000 mm Height: 860 mm



LPO35.1-1.7 BenchLength: 1750 mm Width: 693 mm Height: 514 mm







PK. 44763 DIMENSIONS | 2080 x 2400 x 830mm

PK. 44764 DIMENSIONS | 1500x1500x640mm

SPECIFICATIONS: METALTYPE | BOX PROFILE WOOD TYPE | WOOD PLASTIC COMPOSITE METAL PAINT | ELECTROSTATIC PAINT





PK. 42251DIMENSIONS | 690 x 1640 x 790mm



PK. 41266 DIMENSIONS | **510** x 1500 x 430mm



PK. 42253 DIMENSIONS | 680 x 1600 x 820mm



PK. 41268/B DIMENSIONS | 510x 3070x 790mm



PK. 42260 DIMENSIONS | 680 x 1600 x 820mm



PK. 41279 DIMENSIONS | 580 x 1600 x 850mm









PK. 44757DIMENSIONS | 680 x 1600 x 82mm



PK. 44758 DIMENSIONS | 680 x 1500 x 750mm





LITTER BINS





FRANCISCO LITTER BIN

SPECIFICATIONS | SQUARE SHAPE MADE OF A FRAME IN SQUARE TUBE 50x50mm and covered with wooden slats 95x20mm. Litter bin has base plate with holes for the fixing of the structure to the ground with bolts. Wall metal parts are galvanized and powder coated in different ral colour. All screws are in stainless steel.



AVENUE LITTER BIN

SPECIFICATIONS | HARDWOOD TIMBER SLATS, MILD STAINLESS STEEL AND POWDER COATED FINISH, LOCKABLE DOOR ENTRY







SPECIFICATIONS | HARDWOOD TIMBER SLATS, MILD STEEL, HOT DIPPED GALVANIZED, LOCKABLE DOOR ENTRY



ROADSIDE LITTER BIN

SPECIFICATIONS | HARDWOOD TIMBER SLATS, MILD STAINLESS STEEL AND POWDER COATED FINISH, LASER CUT LOGO AND TEXT









PK. 43008 DIMENSIONS | 500 x 500 x 690mm

PK. 43009 DIMENSIONS | 560 x 560 x 770mm

PK. 43010 DIMENSIONS | 460 x 460 x 660mm

PK. 43011 DIMENSIONS | 380 x 380 x 600mm

METALTYPE | BOX PROFILE METALPAINT | ELECTROSTATIC PAINT WOOD TYPE | CLASS IMPORTED YELLOW PINE WOOD PAINT | VACUUM IMPREGNATION









USKUDAR LITTER BIN DIMENSIONS | 510x 490 x 850mm

KALENDER LITTER BIN DIMENSIONS | 478 x 520 x 900mm

DOGAL LITTER BIN Dimensions | 690 x 690 x 1210mm

BALLOT BOX LP204


DIMENSIONS | Length: **520 mm** Width: **430 mm** Height: **1030 mm**


SPECIFICATIONS

METALTYPE | BOX PROFILE METALPAINT | ELECTROSTATIC PAINT WOOD TYPE | CLASS IMPORTED YELLOW PINE WOOD PAINT | VACUUM IMPREGNATION











PARK LITTER BIN LP201

DIMENSIONS | Length: 480 mm Width: 450 mm Height: 724 mm

PARK LITTER BIN LP202

DIMENSIONS | Length: 575 mm Width: 402 mm Height: 724 mm

PARK LITTER BIN LP203

DIMENSIONS | Length: 471 mm Width: 430 mm Height: 720 mm

PARK LITTER BIN LP205

DIMENSIONS | Length: 350 mm Width: 300 mm Height: 615 mm











PARK LITTER BIN LP206

DIMENSIONS | Length: 471 mm Width: 430 mm Height: 720 mm

PARK LITTER BIN LP203.1

DIMENSIONS | Length: 471 mm Width: 430 mm Height: 720 mm

PK. 44765

DIMENSIONS | Length: 500 mm Width: 500 mm Height: 690 mm

PK. 44766

DIMENSIONS | Length: 560 mm Width: 560 mm Height: 770 mm













PK. 43012

DIMENSIONS | 460x 480x 790mm

SPECIFICATIONS

Metal type | aluminum bended sheet

Metal paint | electrostatic paint

Wood type | imported sapele wood

PK. 44004

DIMENSIONS | 380 x 380 x 600mm

SPECIFICATIONS

Metal type | aluminum bended sheet

Metal paint | electrostatic paint

Wood type | imported sapele wood

URBAN FOREST VERTICAL WOODEN TRASH BIN DIMENSIONS | 526x 500 x 786mm

CLUSTER TRASH CAN
DIMENSIONS | 558 x 512 x 867mm

DOGAL LITTER BINDIMENSIONS | 500 x 500 x 1089mm











RAILADIMENSIONS | 380 x 330 x 880mm

ZETDIMENSIONS | 380 x 900mm

BAS DIMENSIONS | 314 x 314 x 800mm

MAG DIMENSIONS | 362 x 320 x 866mm

METALTYPE | BOX PROFILE METALPAINT | ELECTROSTATIC PAINT WOOD TYPE | CLASS IMPORTED YELLOW PINE WOOD PAINT | VACUUM IMPREGNATION





WOODGROVE LITTER BIN
SPECIFICATIONS | HARDWOOD TIMBER SLATS, MILD STEEL, HOT DIPPED GALVANIZED, LOCKABLE DOOR ENTRY



ROADSIDE LITTER BIN

SPECIFICATIONS | HARDWOOD TIMBER SLATS, MILD STAINLESS STEEL AND POWDER COATED FINISH, LASER CUT LOGO AND TEXT





GAZEBOS










PK. 40001 DIMENSIONS | 4380 X 4380 X 3800mm (OCTAGONAL GAZEBO)

SPECIFICATIONS WOOD TYPE | CLASS IMPORTED SCOTS PINE PAINTING METHOD | VACUUM IMPREGNATION

PK. 40002 DIMENSIONS | 4340 X 4340 X 3800mm (HEXAGON GAZEBO) PK. 40003 DIMENSIONS | 4350 X 4350 X 3800mm








PK. 40004 DIMENSIONS | 4200 X 1030 X 3630mm

SPECIFICATIONS
WOOD TYPE | CLASS IMPORTED SCOTS PINE PAINTING METHOD | VACUUM IMPREGNATION

PK. 40251 DIMENSIONS | 4430 X 4430 X 3800mm









PK. 40251 DIMENSIONS | 4430 X 4430 X 3800mm

PK. 40252 DIMENSIONS | 3250 X 3250 X 3250mm

PK. 40253 DIMENSIONS | 4700 X 4700 X 3480mm

METAL TYPE | BOX PROFILE & PINCHED PIPE WOOD TYPE | CLASS IMPORTED SCOTS PINE PAINTING METHOD | VACUUM IMPREGNATION







PK. 40255
DIMENSIONS | 4400 X 4400 X 3850mm (OCTAGONAL GAZEBO)

PK. 40257
DIMENSIONS | 3700 X 3700 X 3480mm

METALTYPE | PIPE PROFILE + LASER CUTTING WOOD TYPE | CLASS IMPORTED SCOTS PINE PAINTING METHOD | VACUUM IMPREGNATION







SQUARE GAZEBO HEXAGONAL GAZEBO

The gazebo is one of the most pleasant solutions to enjoy outdoor life, nature and warmer seasons in.

All our models can be furnished with gratings for climbing plants, which function as visibility protection and offer shelter from the wind. The roof cover can simply consist of a PVC sheet, fixed with panels, Canadian tiles or a special waterproof membrane for roofs. Wooden flooring, tables, chairs or benches are available to complete your favorite outdoor place for pleasant moments with family and friends.





DECAGONAL GAZEBO

OCTAGONAL GAZEBO

The gazebo is one of the most pleasant solutions to enjoy outdoor life, nature and warmer seasons in.

All our models can be furnished with gratings for climbing plants, which function as visibility protection and offer shelter from the wind. The roof cover can simply consist of a PVC sheet, fixed with panels, Canadian tiles or a special waterproof membrane for roofs. Wooden flooring, tables, chairs or benches are available to complete your favorite outdoor place for pleasant moments with family and friends.





DIMENSIONS |

Height: 3130mm Width: 4200mm Weight: 2178kg

MATERIAL |

METAL, COMPOSITE PLASTIC



GEOIST SHADE TYPE 2

DIMENSIONS |

Height: 3130mm Width: 4200mm Weight: 1264kg

MATERIAL |

METAL, COMPOSITE PLASTIC





OKTAGONAL GAZEBO

DIMENSIONS | Height: 4760mm Width: 6920mm

MATERIAL |

METAL, COMPOSITE PLASTIC





SHADES





YAPRAK SHADE

DIMENSIONS | Height: 3028mm Width: 2407mm Weight: 389kg

MATERIAL |

METAL





PERGOLAS





PERGOLA 300X300

DIMENSIONS | Height: 2400mm Width: 4200mm Depth: 4200mm Weight: 507kg

MATERIAL |

METAL, COMPOSITE PLASTIC






PERGOLA 300X600


DIMENSIONS | Height: 2400mm Width: 4200mm Weight: 740kg

MATERIAL |

METAL, COMPOSITE PLASTIC







PK. 41001
DIMENSIONS | DEPENDING ON THE PROJECT h:3000mm

PK. 41003
DIMENSIONS | DEPENDING ON THE PROJECT h: 3000mm

METALTYPE | BOX PROFILE + STEEL TENSION RODS WOOD TYPE | CLASS IMPORTED SCOTS PINE METAL PAINT | ELECTROSTATIC PAINT PAINTING METHOD | VACUUM IMPREGNATION





PK. 41002
DIMENSIONS | DEPENDING ON THE PROJECT h:2650mm

METALTYPE | BOX PROFILE + STEEL TENSION RODS WOOD TYPE | CLASS IMPORTED SCOTS PINE METAL PAINT | ELECTROSTATIC PAINT PAINTING METHOD | VACUUM IMPREGNATION











PICNIC TABLES







PICNIC TABLE WITH ROOF
DIMENSIONS | 2100 X 1680 X 2475mm





PK. 40501DIMENSIONS | 2520 X 3700 X 2820mm



PK. 40502
DIMENSIONS | 2520 X 3700 X 2820mm



PK. 40506DIMENSIONS | 2400 X 2530 X 2400mm

SPECIFICATIONS

METALTYPE | BOX PROFILE + LASER CUTTING WOOD TYPE | IMPORTED SAPELE WOOD METAL PAINT | ELECTROSTATIC PAINT PAINTING METHOD | WOOD PROTECTIVE PAINT





PK. 40507DIMENSIONS | 2420 X 2620 X 2740mm



PK. 40508DIMENSIONS | 1640 X 2060 X 3190mm



PK. 40509
DIMENSIONS | 2030 X 2080 X 2280mm

SPECIFICATIONS

METALTYPE | BOX PROFILE + LASER CUTTING WOOD TYPE | IMPORTED SAPELE WOOD METAL PAINT | ELECTROSTATIC PAINT PAINTING METHOD | WOOD PROTECTIVE PAINT









FULCRUM PICNIC SETTING

Specifications
Consists Of 1x Table and 2x Benches | Cast Aluminium Construction | Hardwood Timber or Aluminium Slats Length
1800 mm | Concealed Bolt Down Attachment | Mill Finish | Accessible Options









WOODGROVE PICNIC SETTING
Specifications
Mild Steel Construction | Hot Dipped Galvanised | Hardwood Timber Slats Bolt
Down or In Ground Attachment | Powder Coat Finish









METRO PICNIC SETTING
Specifications
Cast Aluminium Construction | Hardwood Timber or Aluminium Slats
Length 1800 mm | Concealed Bolt Down Attachment | Powder Coat or Mill Finish | Accessible Options









PROMENADE PICNIC SETTING

Specifications

Cast Aluminium Construction | 304 Grade Stainless Steel Legs | Hardwood Timber or Aluminium slats Length 1800 mm | Bolt Down or In Ground Attachment | Powder Coat or Mill Finish | Accessible Options









CIVIC PICNIC SETTING
Specifications
Mild Steel Construction | Hot Dip Galvanised | Hardwood Timber or Aluminium Slats Bolt
Down Attachment | Powder Coat Finish | Accessible Options









LYNDARUM PICNIC SETTING Specifications 304 Grade Stainless Steel Construction | Hardwood Timber Slats Length 1800 mm | Bolt Down or In Ground Attachment









FORESHORE PICNIC SETTING
Specifications
Cast Aluminium Construction | Hardwood Timber Slats
Length 1800 mm | Bolt Down Attachment | Powder Coat or Mill Finish









ESPLANADE BAR FURNITURE

Specifications

Hot Dip Galvanised mild steel construction | Hardwood timber slats (standard stain) | Bolt down attachment | Three or four bay Powder coat or 2 PAC finish / Optional Aluminium anodised slats (clear finish)









WOODEN PICNIC TABLE

Description
Extremely versatile combinations of seating arrangements, Maintenance free - no need for varnish or paint, Ground fixing bolts for hard surfaces, Hygienic & easy to clean, Environmentally friendly







| WOODEN PICNIC TABLE






PK. 40751 DIMENSIONS | 1710 x 1850 x 750mm



PK. 40752 DIMENSIONS | 2230 x 2230 x 700mm





PK. 40753 DIMENSIONS | 1940 x 1940 x 700mm



PK. 40754 DIMENSIONS | 1480x1770x750mm





PK. 40755 DIMENSIONS | 1560x1620x740mm



PK. 40756DIMENSIONS | 1620x1680x750mm





PK. 40757 DIMENSIONS | 780x1680x750mm

PK. 40758 DIMENSIONS | **720** x 1500 x 750mm

PK. 40759 DIMENSIONS | 560 x 700 x 750mm





PICNIC TABLE
DIMENSIONS | 1640 x 1800 x 780mm

PORTABLE PICNIC TABLE
DIMENSIONS | 1640 x 1800 x 780mm







JURA TABLE
DIMENSIONS | 4000 x 4500 x 750mm

VEGA TABLE
DIMENSIONS | 1400x 840 x 744mm







MATTABLE
DIMENSIONS | 600 x 600 x 740mm

BETL TABLE
DIMENSIONS | 1800 x 758 x 726mm







SIBELO TABLE Dimensions | 1800x720x744mm

PIKO TABLE DIMENSIONS | 1800 x 712 x 720mm





SADKO TABLE Dimensions | 1800 x 680 x 740mm





DOUBLE LINE TABLE LPSOO6
Length: 1710 mm Width: 636 mm Height: 774 mm



RADIUS TABLE LPS003 Length: 1680 mm Width: 700 mm Height: 774 mm



WAVE TABLE LPSOO2 Length: 1758 mm Width: 644 mm Height: 700 mm



CAST TABLE Length: 1600 mm Width: 700 mm Height: 705 mm



PLASMA TABLE LPSO11 Length: 1708 mm Width: 640 mm Height: 700 mm





PLAY EQUIPMENT





SINGLE-SEATER SWING CLASSIC XCAL11
DIMENSIONS | 2180 x 1740 mm



BASKET NEST SWING CLASSIC XCAL45 DIMENSIONS | 3450 x 1740 mm



TWO-SEATER SWING CLASSIC XCAL21 DIMENSIONS | 3450 x 1740 mm



XSAL41BTG



ORSY SWING SULTAN XSAL15 WITH TUBULAR METAL BEAM DIMENSIONS | 2180 x 1740 mm



XSAL31BG



SPECIFICATIONS | Glulam two-layer struts: cross section 9x9 cm + ground bracket - rotationally-moulded polyethylene flower-shaped side gableboards - mounting height = 200 cm - dual self-lubricating bearing suspensions - galvanised tight loop chains, 6 mm wire, 8 mm internal span - polyethylene is 100% recyclable



TWO-SEATER SWING COUNTRY ROBINIA XRALF20 Information: length: 353 width: 180 height: 230 age of use: <3 / >3



KALUBA SWING XKAL120 WITH NEST SEAT Information: length: 345 width: 174 age of use: 2-6



KALUBA SWING XKAL200 WITH 2 BUCKET SEATS
Information: length: 345 width: 174 age of use: <3 / >3



TOWER KALUBA XKA144 Information: length: 435 width: 88 height: 224 age of use: > 3



TOWER KALUBA XKA110 WITH BALCONY AND ROOF Information: length: 350 width: 214 height: 326 age of use: > 3



BOWED TOWER KALUBA XKA112 WITH ROOF Information: length: 394width: 279 height: 339 age of use: > 3

SPECIFICATIONS | Glulam two-layer struts: cross section 9x9 cm + ground bracket - rotationally-moulded polyethylene flower-shaped side gableboards - mounting height = 200 cm - dual self-lubricating bearing suspensions - galvanised tight loop chains, 6 mm wire, 8 mm internal span - polyethylene is 100% recyclable







DIMENSIONS | length: 544 width: 414 height: 326

age of use: > 3 security area: 844x629



TRIPLE TOWERS KALUBA KKA300 WITH ROOFS AND BRIDGES

DIMENSIONS | length: 657 width: 544height: 340 age of use: > 3 security area: 875x844







CLIMBING NET/RUNGS XCAR11
DIMENSIONS | 1030 x 1030 x 1300mm

DOUBLE CLIMBING NET XCAR20 DIMENSIONS | 1480 x 1030 x 1900mm

CLIMBING NET/RUNGS XCAR21
DIMENSIONS | 1480 x 1030 x 1900mm

SPECIFICATIONS | Glulam two-layer wooden struts: cross section 9x9 cm - 16 mm twisted steel rope climbing nets covered in polypropylene - 50 mm plastic ball joints - column fixing with plastic "thimble" - ladder with 40 mm wooden rungs - shapes on polyethylene strut joint - kit with galvanised bolts for assembly and plastic plugs





DOUBLE CLIMBING NET XCAR10
DIMENSIONS | 1030 x 1030 x 1300mm



NET CORNER/PULL-UP BAR GYM XSP33
DIMENSIONS | 1430x1120x1980mm



CLIMBING CORNER/PULL-UP BAR GYM XSP30 DIMENSIONS | 1430 x 1120 x 1980mm

SPECIFICATIONS | Glulam two-layer wooden struts: cross section 9x9 cm - 16 mm twisted steel rope climbing nets covered in polypropylene - 50 mm plastic ball joints - column fixing with plastic "thimble" - ladder with 40 mm wooden rungs - shapes on polyethylene strut joint - kit with galvanised bolts for assembly and plastic plugs







NET CORNER/WALL BAR GYM XSP31 DIMENSIONS | 1430x1120x1980mm

RECTANGULAR GYM XCPR10 DIMENSIONS | 2550x1670x1980mm

HEXAGONAL GYM XCPE10 DIMENSIONS | 2170 x 2500 x 1980mm

SPECIFICATIONS | Glulam two-layer wooden struts: cross section 9x9 cm - 16 mm twisted steel rope climbing nets covered in polypropylene - 50 mm plastic ball joints - column fixing with plastic "thimble" - ladder with 40 mm wooden rungs - shapes on polyethylene strut joint - kit with galvanised bolts for assembly and plastic plugs







HEXAGONAL GYM AND CLIMBING FACILITY COUNTRY ROBINIA XCPE10ROB

OCTAGONAL GYM AND CLIMBING STRUCTURE COUNTRY ROBINIA XRPO12

OCTAGONAL GYM COUNTRY ROBINIA XRPO10

SPECIFICATIONS - struts made of natural robinia pseudoacacia (black locust), diameter 12/13cm - set of monkey bars with 40 mm rungs - 16 mm twisted steel rope climbing net with polypropylene coating - 50 mm plastic ball joints - pair of stainless steel coated rings + chain and revolving handgrips - tubular stainless steel horizontal bars for pull-ups - kit with hot-dip galvanised bolts



CLASSIC TOT HOUSE XCO1 DIMENSIONS | 2000x1710mm



MULTI 3 XCO3 TOT HOUSE + PUSHCHAIR RAMP DIMENSIONS | 5120x 2150 mm



MULTI 2 XCO2 TOT HOUSE DIMENSIONS | 2150x 2150mm



COTTAGE XS12 WOODEN TOT HOUSE WITH RAMP/SLIDE DIMENSIONS | 3380 x 1920 mm



CASABLANCA XS11 WOODEN TOT HOUSE WITH RAMP/SLIDE DIMENSIONS | 3280 x 1850 mm



MINOS XS40 CRAWL-THROUGH LABYRINTH DIMENSIONS | 3720x 2510mm

SPECIFICATIONS | - Glulam two-layer struts: cross section 9x9 cm - bevelled solid wood floorboard: 33 mm thick - plywood walls (three layers): 19 mm thick - rotationally-moulded, recyclable polyethylene two-pitched roof - two seats/table made of non-slip plywood: 21 mm thick - one non-slip plywood sales shelf: 21 mm thick





TOT HOUSE COUNTRY ROBINIA XR10 MADE OF BLACK LOCUST
DIMENSIONS | length: 160, width: 168, seat height: 53, age of use: 2 - 8





TOT HOUSE COUNTRY ROBINIA XR12



TOT HOUSE COUNTRY ROBINIA XR20



PLAY TOWER COUNTRY ROBINIA XROM10 WITH THREE SLIDES

SPECIFICATIONS | - struts made of black locust (Robinia Pseudoacacia), diameter 12/14 cm - platform, roof and railings are made of black locust - kit with hot-dip galvanised bolts for assembly







COMBINED PLAY FACILITY COUNTRY ROBINIA XRA202 WITH TWO SLIDES

TOWER COUNTRY ROBINIA XR150 WITH SLIDE

PLAY TOWER COUNTRY ROBINIA XRA100R WITH SLIDE H 144 CM

SPECIFICATIONS- two towers with struts made of black locust (robinia pseudoacacia) - parapets and steps made of black locust - pitched roofs made of black locust - connecting bridge with mobile joists and twisted ropes - stainless steel slide with sides made of HPL - kit with hot-dip galvanised bolts for assembly





COMBINED STRUCTURE COUNTRY ROBINIA XR95 WITH TUNNEL SLIDE

PLAY TOWER COUNTRY ROBINIA XROT100 WITH TWO SLIDES

COMBINED STRUCTURE "VILLAGGIO ROBINIA" XR55

- SPECIFICATIONS tower with struts made of black locust (robinia pseudoacacia)
 parapets and ramp with nonslip steps made of black locust hexagonal roof made of black locust stainless steel slide with sides made of HPL
 tunnel slide made of 100 % recyclable, rotationally-moulded polyethylene kit with hot-dip galvanised bolts for assembly







TRACTOR WITH TRAILER COUNTRY ROBINIA XU30 + XU31

SPECIFICATIONS | - struts made of black locust (robinia pseudoacacia), diameter 10/12 cm - boards made of black locust (robinia pseudoacacia), thickness 3.3 cm and 4.3 cm - realistic wheels with tyre tread entirely made of black locust wood - turnable black steering wheel made of PE - kit with galvanised bolts for assembly





SPRING RIDER GUFY XRM13
DIMENSIONS | diameter: 22/24 seat height: 60 age of use: 3-8



SPRING RIDER AMY XRMO3

DIMENSIONS | length: 60 width: 38

seat height: 58 age of use: 3-8



SPRING RIDER BETTY XRM01

DIMENSIONS | length: 60 width: 38

seat height: 58 age of use: 3-8

SPECIFICATIONS | - shaped body made of hand-carved black locust wood - varnished with non-toxic and ecofriendly watercolours - the body is fixed on an "Eibach"-spring, diameter 20 cm, in HD-version (reinforced) - endowed with two footrests and hand grip made of stainless steel - Fe 360 galvanised base for cementing





TWO-SPRING SEESAW BETTY&NELLY XRMO2
DIMENSIONS | length: 150 width: 125
seat height: 60 age of use: 3-8



SPRING RIDER SELLY XRMO4N

DIMENSIONS | length: 60 width: 38

seat height: 58 age of use: 3-8



SPRING RIDER SELLY XRMO4

DIMENSIONS | length: 60 width: 38

seat height: 58 age of use: 3-8

SPECIFICATIONS | - shaped body made of hand-carved black locust wood - varnished with non-toxic and ecofriendly watercolours - the body is fixed on an "Eibach"-spring, diameter 20 cm, in HD-version (reinforced) - endowed with two footrests and hand grip made of stainless steel - Fe 360 galvanised base for cementing







ROUNDABOUT ROTORSO WITH BEAR XCRG151


ROUNDABOUT ROTOGUFO WITH OWL XCRG149


RONNY XRS01

SPECIFICATIONS | - hand-carved bear made of black locust wood - varnished with non-toxic and ecofriendly water-based colours - hot-dip galvanised rotating mechanism - non-slip plywood floor - tubular stainless steel hand grips










SNOWCAT XU10 WITH TUBE SLIDE


SPECIFICATIONS | - frame made of bilam posts 9x9 cm - windshield made of plexiglass 8 mm strong - tube slide elements rotationally moulded - panels/decoration made of three layer polyethylene 19 mm strong - steering wheel - no. 3 activity panels (1 x xpa12, 2 x xpa13) - hot dip galvanized screws and plastic covers








DIMENSIONS | length: 944 width: 240 age of use: >3



SNAKE LELLO XT120

DIMENSIONS | length: 1260 width: 307 age of use: >3





SHIP X063 WITH SLIDE


DIMENSIONS | length: 733 width: 228 age of use: > 3




CASTLE DIRONDELLO XT100

DIMENSIONS | length: 339 width: 313 height: 266 age of use: >3







THREE TOWERS FUN OASIS XOA105 WITH BRIDGES AND TUBE SLIDES

DIMENSIONS | length: 986 width: 625 age of use: > 3





SPIRAL TOWER FUN OASIS XOA100LT WITH TUBE SLIDE DIMENSIONS | 5610x 4620 mm



SPIRAL TOWER FUN OASIS WITH TUBE SLIDE

DIMENSIONS | 5610x 4620 mm



SPIRAL TOWER FUN OASIS XOA100LT WITH TUBE SLIDE

DIMENSIONS | 5610 x 4620 mm

SPECIFICATIONS | - Glulam two-layer turned struts: diameter 12 cm + ground brackets - hexagonal plywood waterproof roof - non-slip plywood triangular platforms h 84/144/168 cm: 21 mm thick - one-piece rotationally-moulded polyethylene slides: h 84 cm + h 144 cm - curved tube slide, h 168 cm, diameter 80 cm, with rotationally-moulded polyethylene elements - polyethylene is 100% recyclable - kit with galvanised bolts for assembly and plastic plug





THREE TOWERS FUN OASIS XOA105 WITH BRIDGES AND TUBE SLIDES

DIMENSIONS | length: 986 width: 625 age of use: > 3



THREE TOWERS FUN OASIS XOA103L WITH BRIDGES AND TUBE SLIDE

DIMENSIONS | length: 872 width: 824 age of use: > 3









STRETCHING SUPPORT AND POLE XSP1
DIMENSIONS | length: 231 width: 163 age of use: 2-6

TOWER ALADIN XA9OR WITH RAMP
DIMENSIONS | length: 231 width: 153 age of use: 2-6

TOWER ALADIN XA100

DIMENSIONS | length: 312 width: 220 age of use: > 3





TOWER ALADIN XA100RA WITH RAMP AND SWING DIMENSIONS | length: 650 width: 182 age of use: > 3



TOWER ALADIN XA100RAP WITH RAMP, SWING AND GYM DIMENSIONS | length: 648 width: 424 age of use: > 3



TOWER ALADIN XA100RP WITH RAMP AND GYM DIMENSIONS | length: 423 width: 313 age of use: > 3





DOUBLE TOWER ALADIN XA205 WITH RAMP DIMENSIONS | length: 456 width: 234 age of use: > 3



DOUBLE TOWER ALADIN XA205RP WITH RAMP AND GYM DIMENSIONS | length: 489 width: 456 age of use: > 3



TOWER ALADIN XA480 WITH ACTIVITY PANEL DIMENSIONS | length: 310width: 167 age of use: >3





TWO TOWERS ALADIN XA202 WITH STEPS AND BRIDGE DIMENSIONS | length: 420 width: 312 age of use: > 3




TWO TOWERS ALADIN XA203P WITH STEPS, BRIDGE AND GYM
DIMENSIONS | length: 675 width: 444 age of use: > 3



TWO TOWERS ALADIN XA203RP WITH RAMPS, BRIDGE AND GYM

DIMENSIONS | length: 670 width: 396 age of use: >3





STRETCHING SUPPORT AND POLE XSP1
DIMENSIONS | 180 x 90 x 3000mm




TILTED ABDOMINAL BENCH + EXERCISE TABLE SXP2
DIMENSIONS | 2230 X 800mm



PARALLEL BARS WITH EXERCISE TABLE XSP3
DIMENSIONS | 2000 X 600mm




SPECIFICATIONS | 9x9cm cross-section poles in 2-layer wood w/ plastic cap, hot-galvanized fixing accessories kit, in plastic plugs





DIMENSIONS | length: 944 width: 240 age of use: >3



SNAKE LELLO XT120

DIMENSIONS | length: 1260 width: 307 age of use: >3







COMBINED STRUCTURE COUNTRY ROBINIA XR95 WITH TUNNEL SLIDE


PLAY TOWER COUNTRY ROBINIA XROT100 WITH TWO SLIDES

COMBINED STRUCTURE "VILLAGGIO ROBINIA" XR55

- SPECIFICATIONS tower with struts made of black locust (robinia pseudoacacia)
 parapets and ramp with nonslip steps made of black locust hexagonal roof made of black locust stainless steel slide with sides made of HPL
 tunnel slide made of 100 % recyclable, rotationally-moulded polyethylene kit with hot-dip galvanised bolts for assembly







THREE TOWERS FUN OASIS XOA105 WITH BRIDGES AND TUBE SLIDES

DIMENSIONS | length: 986 width: 625 age of use: > 3









TRACTOR WITH TRAILER COUNTRY ROBINIA XU30 + XU31

SPECIFICATIONS | - struts made of black locust (robinia pseudoacacia), diameter 10/12 cm - boards made of black locust (robinia pseudoacacia), thickness 3.3 cm and 4.3 cm - realistic wheels with tyre tread entirely made of black locust wood - turnable black steering wheel made of PE - kit with galvanised bolts for assembly















PK. 20002 DIMENSIONS | 4830 X 6500 X 4390 mm AGE GROUP | 3-15 yrs









PK. 20005 DIMENSIONS | 6790 X 6360 X 5140 mm AGE GROUP | 3-15 yrs







PK. 20006

DIMENSIONS | 6790 X 6190 X 5410 mm

AGE GROUP | 3-15 yrs

PK. 20007

DIMENSIONS | 9640 X 9870 X 5400 mm

AGE GROUP | 3-15 yrs







PK. 20008

DIMENSIONS | 13100 x 13510 x 5520 mm

AGE GROUP | 3-15 yrs

PK. 20009

DIMENSIONS | 5640 X 7920 X 2500 mm

AGE GROUP | 3-15 yrs









PK. 20011

DIMENSIONS | 5970 X 7050 X 4950 mm

AGE GROUP | 3-15 yrs










PK. 20013

DIMENSIONS | 4200 X 6300 X 4900 mm

AGE GROUP | 3-15 yrs









PK. 21002 DIMENSIONS | 4220 X 8590 X 4450 mm AGE GROUP | 3-15 yrs







PK. 21003

DIMENSIONS | 7300 X 11500 X 4450 mm

AGE GROUP | 3-15 yrs

PK. 21004

DIMENSIONS | 3910 X 5690 X 4450 mm

AGE GROUP | 3-15 yrs









PK. 21006

DIMENSIONS | 6970 X 9120 X 4450 mm

AGE GROUP | 3-15 yrs










PK. 22001

DIMENSIONS | 3110 X 4220 X 3650 mm

AGE GROUP | 3-15 yrs








PK. 22002 DIMENSIONS | 3240 X 8390 X 3650 mm AGE GROUP | 3-15 yrs PK. 22003

DIMENSIONS | 9950 X 9440 X 5200 mm

AGE GROUP | 3-15 yrs







PK. 14301

DIMENSIONS | 2460 X 4450 X 2010 mm

AGE GROUP | 3-15 yrs

PK. 14302 DIMENSIONS | 3940 X 5470 X 2010 mm AGE GROUP | 3-15 yrs





PK. 25001

DIMENSIONS | 400 X 2800 X 1000 mm

AGE GROUP | 3-15 yrs



PK. 25003

DIMENSIONS | 350 X 2800 X 960 mm

AGE GROUP | 3-15 yrs



PK. 25002 DIMENSIONS | 1120 X 2800 X 960 mm AGE GROUP | 3-15 yrs



PK. 25004

DIMENSIONS | 400 X 3200 X 960 mm

AGE GROUP | 3-15 yrs









PK. 26002 DIMENSIONS | 2450 X 8300 X 3840 mm AGE GROUP | 3-15 yrs









PK. 26004

DIMENSIONS | 1920 X 5000 X 2500 mm


AGE GROUP | 3-15 yrs






PK. 27002 DIMENSIONS | 360 X 14790 X 2780 mm AGE GROUP | 3-15 yrs





SINGLE SEESAW XCD20
DIMENSIONS | 370 X 4000mm SEATHEIGHT | 360 / 840mm
AGE GROUP | 3-15 yrs | Fall Height | 990mm



SINGLE SEESAW XCD40
DIMENSIONS | 370 X 4000mm SEATHEIGHT | 360 / 840mm
AGE GROUP | 3-15 yrs FALL HEIGHT | 990mm





FITNESS EQUIPMENT









TILTED ABDOMINAL BENCH + EXERCISE TABLE SXP2
DIMENSIONS | 2230 X 800mm



PARALLEL BARS WITH EXERCISE TABLE XSP3
DIMENSIONS | 2000 X 600mm







HORIZONTAL OBSTACLES WITH EXERCISE TABLE XSP4
DIMENSIONS | 3090 X 2500mm

FLAT ABDOMINAL BENCH WITH EXERCISE TABLE XSP5 DIMENSIONS | 2300 X 9050mm

TILTED BEAM WITH EXERCISE TABLE XSP8
DIMENSIONS | 3980 X 210mm





PUSH-UP BARS WITH EXERCISE TABLE XSP7
DIMENSIONS | 2270 X 90mm



SET OF MONKEY BARS WITH EXERCISE TABLE XSP6
DIMENSIONS | 4000 X 3500mm



PULL-UP BARS WITH EXERCISE TABLE XSP9
DIMENSIONS | 3360 X 90mm





TRIPLE BALANCE BEAM WITH EXRCISE TABLE XSP12
DIMENSIONS | 5910 X 3180mm



SIDE FLIP WITH EXERCISE TABLE XSP10 DIMENSIONS | 2980 X 210mm




DOUBLE WALL BAR WITH EXERCISE TABLE XSP11
DIMENSIONS | 1250 X 1250mm







PULL-UP RINGS WITH EXERCISE TABLE XSP14
DIMENSIONS | 4000 X 2100 X 3000mm





GYM SET XSP240 Dimensions | 4340 x 4750 x 2350mm






VERTICAL OBSTACLES WITH EXERCISE TABLE XSP13








GYM TOWER XSP250


DIMENSIONS | 4070 X 2830 X 2550mm

SPECIFICATIONS |
GLULAM TWO-LAYER WOODEN STRUTS: CROSS SECTION DIAMETER 12CM, PLASTIC STRUT CAPS, TUBULAR STEEL GYMNASTICS EQUIPMENT, GALVANIZED STEEL
BALANCE BAR, RUBBER STOOLS, KIT WITH GALVANIZED BOLTS AND PLASTIC PLUGS









PARKOUR FOR BALANCE EXERCISES COUNTRY ROBINIA XRGO2


BALANCE PARKOUR COUNTRY ROBINIA XRGO7

SPECIFICATIONS | - struts made of black locust (robinia pseudoacacia), diameter 18/20 cm and 14/16 cm - spheres made of black locust wood, varnished with non-toxic and ecofriendly water-based colours - highly resistant Herkules rope, diameter 20 cm - balancing rope 14x14 cm






DOUBLE LEG STRETCHING EQUIPMENT AP. 3751
DIMENSIONS | 1500 x 300 x 1100mm




BENCH & LEG SRETCHING EQUIPMENT AP. 3752
DIMENSIONS | 1500 x 600 x 1100mm




DOUBLE ARM & CHEST MUSCLES EQUIPMENT AP. 3207 DIMENSIONS | 1080 X 900 X 2100mm





PUSH UP EQUIPMENT (S)
AP. 3756
DIMENSIONS | 1500 X 200 X 400mm




PUSH UP EQUPMENT (M)
AP. 3757
DIMENSIONS | 1500 X 200 X 600mm




PUSH UP EQUIPMENT AP. 3758 DIMENSIONS | 1500 X 200 X 1100mm





DOUBLE LEG STRETCHING EQUIPMENT AP. 3751
DIMENSIONS | 1500 x 300 x 1100mm



WAIST TRAINER (DOUBLE UNIT)
AP.3206
DIMENSIONS | 1800 x 850 x 2100mm



