


P.O Box No.11169 Manama, Kingdom of Bahrain Mobile **+973 66628877** | Email **bahrain.moderngardens@gmail.com**

Website moderngardensuae.com



METAL BENCHES















CIVIC BENCH STAINLESS STEEL SETAED BENCH

STEEL-SLATTED BENCH

SPECIFICATIONS | Mild Steel Frame, Aluminum Slats, Length 1800 mm / 2000 mm, Concealed Bolt DoWn Attachment / in-ground attachment, PoWder Coat or Mill Finish





BABIA BENCHDIMENSIONS | 1800×513×420 mm / 35 kg



AILES BENCHDIMENSIONS | 400×460×106 mm





WOODEN BENCHES





ONE BENCHDIMENSIONS | 1800x760x828mm



BERGA BENCH DIMENSIONS | 1800 x 684 x 808mm



VELA BENCH
DIMENSIONS | 1800 x 969 x 732mm



DINA BENCHDIMENSIONS | 1800x740x795mm



VEGA BENCHDIMENSIONS | 2000x 700x 795mm



BOROLA BENCH DIMENSIONS | 1800x734x784mm





TWISTULA BENCH DIMENSIONS | 3200x 400x 440mm



BETLA BENCH DIMENSIONS | 1800 x 676 x 770mm



NISHA BENCH Dimensions | 1800 x 665 x 765mm



EKTA BENCH
DIMENSIONS | 1800 x 624 x 793mm



BORDO BENCHDIMENSIONS | 3000x 530x 683mm



ALUMA BENCH
DIMENSIONS | 1800 x 665 x 810mm





ROBUSTA BENCH Dimensions | 3000 x 726 x 800mm



RADIANO BENCH DIMENSIONS | 440 x 435 x 1000mm



INOA BENCH
DIMENSIONS | 1800 x 646 x 772mm



SIBELA BENCH
DIMENSIONS | 1800 x 476 x 444mm



ROSTY BENCH
DIMENSIONS | 2840 x 1386 x 420mm



SADKA BENCH Dimensions | 1800x667x798mm





BLED BENCH
DIMENSIONS | 600 x 600 x 425mm



PENTA ISLANDS BENCH
DIMENSIONS | 612x 531x 460mm





ELEGANT BENCH DIMENSIONS | 1800 X 460 X 457mm




SOFT BANKDIMENSIONS | 2400x 574x 810mm



SAIL BENCH
DIMENSIONS | 2000 x 577.5 x 735mm



CLUSTER SEATING GROUP BENCH
DIMENSIONS | 2000 x 515 x 400mm



WOODEN ICON BENCH DIMENSIONS | 1180x 450x 613mm



GULF BANK WITH BACKREST DIMENSIONS | 1332 x 630 x 877mm





GULF BANK DIMENSIONS | 950 x 630 x 455mm



INTERMITTENT CORD BENCH DIMENSIONS |



PARK SUNBED BENCH
DIMENSIONS | 1995 x 2200 x 920mm



KORDON BENCH Dimensions |



PARK SUNBED
DIMENSIONS | 1985 x 1690 x 924mm



BICYCLE KENT BENCH DIMENSIONS | 2500 x 585 x 691mm





BICYCLE-FREE KENT BANK
DIMENSIONS | CUSTOMIZE x 585 x 680mm



GEO TRIANGLE BENCHDIMENSIONS | 2170x1747x677mm




KENT CASTING BENCH (WITHOUT ARMREST)
DIMENSIONS | 942 x 942 x 930mm



YILDIZ BANK Dimensions | 3040x 2170x 420mm



GEO OVAL BENCHDIMENSIONS | 2200x1189x675mm



MUVA BANK DIMENSIONS | 2516x 522 x 709mm





MUVA CIRCULAR BENCH
DIMENSIONS | 2100x 2100x 775mm




DIA BANK TYPE 2
DIMENSIONS | 1500x1510x450mm



MUVA OVAL BANK
DIMENSIONS | 1950x 900x 401mm



PATTERN BANK TYPE 1
DIMENSIONS | 4150x 2580x 430mm



DIA BANK TYPE 1
DIMENSIONS | 1500 x 1510 x 450mm



ARMONI BENCH
DIMENSIONS | 2000 x 700 x 470mm





AMBER BANK
DIMENSIONS | 3390 x 825 x 540mm



CAMLICA BANK
DIMENSIONS | 2500x 488x 679mm



LAPIS BENCH (WITH BACK)
DIMENSIONS | 3330 x 800 x 813mm



LINEAR BANK
DIMENSIONS | 2120 x 500 x 450mm



LAPIS BANK
DIMENSIONS | 3330 x 800 x 540mm



SMART BANKDIMENSIONS | 2340 x 1270 x 3020mm





DELICATE BENCH WOOD
DIMENSIONS | 3200x 380x 460mm



NARI BENCH CONCRETE SINGLE DIMENSIONS | 1600 x 380 x 460mm



NARIN BANK CONCRETE
DIMENSIONS | 3200x 380x 460mm



MARTI BENCH CONCRETE BLACK
DIMENSIONS | 3295 x 384 x 475mm



NARIN BENCH WOODEN SINGLE DIMENSIONS | 1600 x 380 x 460mm



MARTI BENCH CONCRETE WHITE DIMENSIONS | 3295 x 384 x 475mm





DAMLA BANK
DIMENSIONS | 1671 x 509 x 542mm



GEOIST MODULAR BENCHDIMENSIONS | 1800 x 580 x 440mm



GEOIST BANK
DIMENSIONS | 2057 x 800 x 860mm



MEYDAN BANK (SINGLE)
DIMENSIONS | 975 x 805x 768mm



GEOIST BANK (SINGLE)
DIMENSIONS | 770x 660x 910mm



MEYDAN BANK (DOUBLE)
DIMENSIONS | 1942 x 805 x 768mm





AMORPHOUS BANK INTERMITTENT DIMENSIONS | 1700x 410x 420mm



WAREHOUSE BENCH
DIMENSIONS | 1800 x 580 x 433mm



AMORPHOUS BANK
DIMENSIONS | 1700x 410x 420mm



AMBER BANK
DIMENSIONS | 3390 x 825 x 815mm





EXPO BENCH
DIMENSIONS | 2300 x 3000 x 390mm



CHAT BENCH SIX

DIMENSIONS | 3380 x 3900 x 400mm



ÜSKÜDAR BENCH DIMENSIONS | 490 x 3220 x 685mm



HONEYCOMB BANK
DIMENSIONS | 1000x3732x500mm



CHAT BANK TRIPLE
DIMENSIONS | 2340 x 2700 x 400mm



BOW BENCH
DIMENSIONS | 700x3180x810mm





MARMARA BENCH DIMENSIONS | 750x 2700x 744mm



WAVE BENCH WITH RESERVOIR
DIMENSIONS | 1107 x 3020 x 640mm



MEYDAN BENCH
DIMENSIONS | 1239 x 3000 x 700mm



TURE BENCH
DIMENSIONS | 600 x 3040 x 460mm



WAVE BENCH
DIMENSIONS | 1030 x 3020 x 640mm



BENCH ISTANBUL TYPE 1
DIMENSIONS | 800 x 4000 x 605mm






BENCH ISTANBUL TYPE 2 DIMENSIONS | 580x1760x600mm



BENCH ISTANBUL TYPE 5
DIMENSIONS | 640 x 1960 x 540mm




BENCH ISTANBUL TYPE 3
DIMENSIONS | 1151 x 1808 x 700mm



BENCH ISTANBUL TYPE 6
DIMENSIONS | 530x1752x690mm



BENCH ISTANBUL TYPE 4
DIMENSIONS | 640 x 1800 x 540mm



BENCH ISTANBUL TYPE 7
DIMENSIONS | 530x1752x420mm





CIHANGIR BENCH DIMENSIONS | 1200x 4000 x 710mm



EMIRGAN BENCH
DIMENSIONS | 890 x 980 x 700mm



CIHANGIR BENCH WITH REST DIMENSIONS | 720 x 2300 x 710mm



DEKO WOODEN BENCH DIMENSIONS | 640 x 1960 x 540mm



CIHANGIR BENCH WITHOUT REST DIMENSIONS | 900 x 2300 x 405mm



DAVET BENCH WITH RESTDIMENSIONS | 530x1752x690mm





DAVE BENCH WITHOUT REST DIMENSIONS | 530x1752x420mm



DEKO CONCRETE BENCHDIMENSIONS | 640 x 1800 x 540mm



DYNAMIC SINGLE SIDE BENCH DIMENSIONS | 580 x 1760 x 600mm



LINE BENCH WITH BACK
DIMENSIONS | 579 x 2116 x 765mm



DYNAMIC DOUBLE SIDED BENCH DIMENSIONS | 1151 x 1808 x 700mm



LINE BENCH
DIMENSIONS | 450 x 2116 x 440mm





CONCAVE HALIC BENCH
DIMENSIONS | 570x 2250x 735mm



HALF MODUL BENCH DIMENSIONS | 1399 x 2790 x 600mm



CONVEX HALIC BENCH
DIMENSIONS | 648 x 2470 x 735mm



QUARTER MODUL BENCH
DIMENSIONS | 1397x1507x600mm



LIPSO BENCH
DIMENSIONS | 640 x 3280 x 806mm



IZ BENCH
DIMENSIONS | 1009 x 4223 x 739mm





TRACE CONVEX BENCH
DIMENSIONS | 768 x 2130 x 739mm



ASTRO BENCH DIMENSIONS | 625 x 1480 x 773mm



TRACE CONCAVE BENCH
DIMENSIONS | 648 x 2470 x 735mm



KEMER BENCH
DIMENSIONS | 450x1800x450mm



BALANCE BENCH
DIMENSIONS | 768 x 2130 x 739mm



MOSAIC BENCH
DIMENSIONS | 658 x 1480 x 737mm





NATURAL BENCH DIMENSIONS | 765 x 1540 x 750mm



GUNES BRIDGE BENCH WITHOUT REST DIMENSIONS | 800 x 3188 x 540mm



GALATA BENCH
DIMENSIONS | 570 x 2266 x 557mm



AEGEAN BRIDGE BENCH WITHOUT REST DIMENSIONS | 800 x 3195 x 600mm



GUNES BRIDGE BENCH WITH REST DIMENSIONS | 800 x 3188 x 795mm



SOLAR BANK
DIMENSIONS | 1508 x 1881 x 600mm





SUN OVAL BENCH DIMENSIONS | 1480x1900x540mm



DÜZ CAST BENCH
DIMENSIONS | 472 x 1500 x 704mm



TRIPLE CAST IRON ISTON BENCH
DIMENSIONS | 580 x 1545 x 750mm



OREON CAST IRON BENCH DIMENSIONS | 670x1574x800mm



DÜZ CAST PINE BENCH
DIMENSIONS | 472 x 1500 x 704mm



INCI CAST IRON BENCH DIMENSIONS | 650 x 1540 x 730mm





DOLFIN CAST IRON BENCHDIMENSIONS | 565 x 1480 x 745mm



RÜZGAR CAST IRON BENCH DIMENSIONS | 428 x 1480 x 420mm



SAHIL CAST IRON BENCH
DIMENSIONS | 553x1480x745mm



TRIPLE ELIF BENCHDIMENSIONS | 695 x 1550 x 790mm





CHAISE BENCH

MATERIALS | Available in Single & Double Configurations | Width: 600mm or 1200mm, Mild Steel Construction, Hot Dip Galvanised, HardWood Timber Slats, Bolt Down Attachment, Powder Coat Finish



DELTA BENCH

MATERIALS | Cast Aluminum Construction, HardWood Timber Slats Length 1800mm, Bolt Down Attachment, Powder Coat or Mill Finish



CIVIC BENCH

MATERIALS | Mild Steel Frame, HardWood Timber or Aluminum Slats, Length 1800 mm Concealed Bolt DoWn Attachment, PoWder Coat or Mill Finish



FIESTA BENCH

MATERIALS | Cast Aluminum Construction, HardWood Timber Slats Length 1800mm, Bolt DoWn Attachment PoWder Coat Finish



FORESHORE BENCH

MATERIALS | Cast Aluminum Construction, HardWood Timber Slats Length 1800mm, Bolt DoWn Attachment, PoWder Coat Finish



FULCRUM BENCH

MATERIALS | Mild Steel Construction, Hot Dipped Galvanized HardWood Timber Slats, Length 1800 mm, Bolt DoWn or In Ground Attachment, PoWder Coat Finish



FRANKSTON BENCH

MATERIALS | Mild Steel Construction, Hot Dipped Galvanized, HardWood Timber Slats, Length 1800 mm Bolt DoWn or In Ground Attachment, PoWder Coat Finish



LYNDARUM BENCH

MATERIALS | 304 Grade Stainless Steel Construction, HardWood Timber Slats Length 1800 mm, Also Available With Armrests, Bolt DoWn or In Ground Attachment





METRO BENCH

MATERIALS | Cast Aluminum Construction, Polished Arm Rests, HardWood Timber or Aluminum Slats, Length 1800 mm, Concealed Bolt DoWn Attachment, PoWder Coat or Mill Finish



PROMENADE BENCH

MATERIALS | Cast Aluminum Construction, Polished Arm Rests, 304 Grade Stainless Steel Legs, HardWood Timber or Aluminum Slats, Length 1800 mm, Bolt DoWn or In Ground Attachment, PoWder Coat or Mill Finish



PARK BENCH

MATERIALS | Mild Steel Construction, Hot Dipped Galvanized, HardWood Timber Slats, Length 1800 mm Bolt DoWn Attachments, PoWder Coat Finish



PREMIER BENCH

MATERIALS | Cast Aluminum Construction, HardWood Timber Slats Length 1800 mm, Bolt DoWn Attachment, Powder Coat Finish



ROTHERMAN BENCH

MATERIALS | Cast Aluminum Construction, HardWood Timber Slats, Length 1800 mm Bolt DoWn Attachment, PoWder Coat Finish



CUSTOMIZED BENCH DESIGNS
MATERIALS | CAST ALUMINUM AND HARDWOOD TIMBER



WOODGROVE BENCH

MATERIALS | Mild Steel Construction, Hot Dipped Galvanized, HardWood Timber or Aluminum Slats Length 1800mm, Bolt DoWn or In Ground Attachment, PoWder Coat Finish







PK. 41251DIMENSIONS | 690 x 1640 x 790mm



PK. 41257 DIMENSIONS | 400 x 1600 x 660mm



PK. 41253 Dimensions | 680x1600x820mm



PK. 41260 DIMENSIONS | 540x1700x500mm



PK. 41256 DIMENSIONS | 620 x 1600 x 760mm



PK. 41259 DIMENSIONS | 800 x 1600 x 780mm

WOOD TYPE | 1. CLASS IMPORTED SCOTS PINE METAL PAINT | ELECTROSTATIC PAINT PAINTING METHOD | VACUUM IMPREGNATION





PK. 41261 DIMENSIONS | 550 x 15450 x 800mm



PK. 41263 Dimensions | 600 x 1100 x 700mm



PK. 41262 DIMENSIONS | 550 x 1450 x 800mm

WOOD TYPE | 1. CLASS IMPORTED SCOTS PINE / VERZALIT





PK.41287/ADIMENSIONS | 510x1560x440mm



PK.41288/A
DIMENSIONS | 620x1560x790mm



PK.41289/ADIMENSIONS | **620** x 1560 x 790mm





PK.41290/A DIMENSIONS | **1560** x 1560 x 400mm



PK.41291/A DIMENSIONS | 510x1490x460mm



PK.41292/A DIMENSIONS | 540x1550x810mm



PK.41293/A DIMENSIONS | **620** x 1610 x 810mm



PK. 41276 DIMENSIONS | 410x1480x550mm




PK. 41277 DIMENSIONS | 420 x 1500 x 450mm





PK. 41265 DIMENSIONS | 460 x 680 x 460mm



PK. 41264 DIMENSIONS | Diameter 2800mm





BENCH SIENA / PSI01

DIMENSIONS | 1920mm x 570mm 420/800cm SEAT HEIGHT | 420mm

SPECIFICATIONS | Bench consisting of tubular frame in hot-galvanized and painted steel, seat and backrest With 8 beveled and rounded boards, thickness 43 mm, painted in pale drilled With holes for anchoring to ground.

Walnut,



BENCH COMFORT / PCF195

DIMENSIONS | 1940 x 570 x 400/790mm

SPECIFICATIONS | Seat/backrest With six beveled and rounded boards, thickness 43 mm.



BENCH VENEZIA / PVEO1 DIMENSIONS | 1870 x 620 x 800mm







BENCH PICADILLY / PCY150

BENCH VERONA / PVR01

DIMENSIONS | 1500 x 600 x 920mm

DIMENSIONS | 1940 x 570 x 800mm

SPECIFICATIONS | Tubular frame in hot-galvanized / hot-galvanized and painted steel, seat/backrest With six beveled and rounded boards, thickness 43 mm, drilled With holes for anchoring to ground.





BENCH RIVA / PRI195

DIMENSIONS | 1500 x 1500 x 640mm

SPECIFICATIONS | Tubular frame in hot-galvanized steel, seat/backrest With seven beveled and rounded boards, thickness 43 mm, prearranged only for cementing to the ground.







BENCH ROMA / PRMO1P DIMENSIONS | 1500 x 1500 x 640mm

SPECIFICATIONS | Seat/backrest With eleven beveled and rounded boards, thickness 43 mm, painted in pale Walnut, three stays in hot-galvanized and painted steel, drilled With holes for anchoring to ground.





BENCH TORINO / PBGL175

DIMENSIONS | 1750/194 x 570 x 790mm

SPECIFICATIONS | Frame in steel "U" profiles, hot-galvanized / hot-galvanized and painted, seat/backrest With five rounded and stondate boards, thickness 33 or 43 mm.





PARK BENCH LP014.2 Length: 1634 mm Width: 410 mm Height: 400 mm



PARK BENCH LP013.2 Length: 1836 mm Width: 507 mm Height: 400 mm



PARK BENCH LPO14 Length: 1200 mm Width: 410 mm Height: 400 mm



PARK BENCH LPO13.1 Length: 1836 mm Width: 655 mm Height: 786 mm



PARK BENCH LP014.1 Length: 1197 mm Width: 410 mm Height: 400 mm



DOUBLE LINE BENCH LP006.1 Length: 1710 mm Width: 415 mm Height: 406 mm





PARK BENCH LPO15 Length: 1520 mm Width: 480 mm Height: 399 mm



PARK BENCH LPO17 Length: 1474 mm Width: 450 mm Height: 400 mm



PARK BENCH LP015.1 Length: 1520 mm Width: 480 mm Height: 400 mm



PARK BENCH LPO18 Length: 1800 mm Width: 572 mm Height: 775 mm



PARK BENCH LPO16 Length: 1474 mm Width: 475 mm Height: 600 mm



PARK BENCH LPO19 Length: 1800 mm Width: 450 mm Height: 475 mm





PARK BENCH LPO63 Length: 1760 mm Width: 587 mm Height: 690 mm



DOUBLE LINE PARK BENCH LPOO6 Length: 1710 mm Width: 503 mm Height: 791 mm



PARK BENCH LPO64 Length: 1710 mm Width: 524 mm Height: 715 mm



PARK BENCH LPO13 Length: 1836 mm Width: 655 mm Height: 786 mm



BENCH LPO65 Length: 1604 mm Width: 704 mm Height: 751 mm



PLASMA BENCH WITH BACKSEAT LPO11 Length: 1708 mm Width: 668 mm Height: 866 mm





RADIUS PARK BENCH LPOO3 Length: 1680 mm Width: 560 mm Height: 769 mm



PARK BENCH LP083 Length: 1805 mm Width: 551 mm Height: 686 mm



WAVE PARK BENCH LPOO2 Length: 1710 mm Width: 566 mm Height: 845 mm



BENCH \$722.1 •Length: 1620 mm Width: 770 mm Height: 820 mm



CURVED BENCH LPO12 (section) Length: 1145 mm Width: 400 mm Height: 400 mm



PARK BENCH LPO33 Length: 1802 mm Width: 400 mm Height: 400 mm





PARK BENCH LPO30 Length: 1800 mm Width: 458 mm Height: 411 mm



PLASMA BENCH LPO11.1 Length: 1708 mm Width: 450 mm Height: 473 mm



PARK BENCH LPO31 Length: 1800 mm Width: 458 mm Height: 411 mm



RADIUS BENCH LP003.1 Length: 1680 mm Width: 473 mm Height: 435 mm



BENCH WITH PLYWOOD SEAT \$741 Length: 1200 mm Width: 360 mm Height: 450 mm



WAVE BENCH LPOO2.1 Length: 1710 mm Width: 421 mm Height: 400 mm





PARK BENCH LPO61 Length: 1760 mm Width: 589 mm Height: 809 mm



LPO75 PARK BENCH Length: 1800 mm Width: 519 mm Height: 775 mm



BENCH LPO62 Length: 1620 mm Width: 539 mm Height: 690 mm



BENCH PARK "WAVE" LPOO2P Length: 1710 mm Width: 566 mm Height: 845 mm



BENCH \$722.1 Length: 1620 mm Width: 770 mm Height: 820 mm



BENCH \$708.1 Length: 1535 mm Width: 668 mm Height: 953 mm





PARK BENCH LP016.1 Length: 1805 mm Width: 450 mm Height: 400 mm



LPO32 PARK BENCH Length: 1820 mm Width: 930 mm Height: 1230 mm



LPO35-1.7 BENCH Length: 1750 mm Width: 693 mm Height: 763 mm



LPO34 ROUND BENCH Length: 3000 mm Width: 3000 mm Height: 860 mm



LPO35.1-1.7 BenchLength: 1750 mm Width: 693 mm Height: 514 mm





SQUARE BENCH LPOO4.1 Length: 1680 mm Width: 410 mm Height: 410 mm



BENCH LPO62-1.8 Length: 1920 mm Width: 539 mm Height: 690 mm



PARK BENCH "SINGLE LINE" LP005 Length: 1680 mm Width: 551 mm Height: 738 mm




TRIANLGE PARK BENCH LP008.1 Length: 1669 mm Width: 401 mm Height: 400 mm





LAMB BENCH S747 Length: 1230 mm Width: 556 mm Height: 534 mm



TURTLE BENCH \$746 Length: 1230 mm Width: 849 mm Height: 563 mm

MATERIALS | PLYWOOD AND METAL




SNAIL BENCH S744 Length: 1230 mm Width: 717 mm Height: 816 mm



PANDA BENCH S745 Length: 1230 mm Width: 635 mm Height: 686 mm







PK. 44763 DIMENSIONS | 2080 x 2400 x 830mm

PK. 44764 DIMENSIONS | 1500x1500x640mm

SPECIFICATIONS: METALTYPE | BOX PROFILE WOOD TYPE | WOOD PLASTIC COMPOSITE METAL PAINT | ELECTROSTATIC PAINT





PK. 42251DIMENSIONS | 690 x 1640 x 790mm



PK. 41266 DIMENSIONS | **510** x 1500 x 430mm



PK. 42253 DIMENSIONS | 680 x 1600 x 820mm



PK. 41268/B Dimensions | 510x 3070x 790mm



PK. 42260 DIMENSIONS | 680 x 1600 x 820mm



PK. 41279 DIMENSIONS | 580 x 1600 x 850mm

SPECIFICATIONS METALTYPE | STAINLESS STEEL LASER CUTTING WOOD TYPE | IMPORTED SAPELE WOOD METALPAINT | POLISHING 304 SS PAINTING METHOD | WOOD PROTECTIVE PAINT









PK. 44757 DIMENSIONS | 680 x 1600 x 82mm



PK. 44758 DIMENSIONS | 680 x 1500 x 750mm



THEMED BENCHES







FENICIA BENCH

SPECIFICATIONS | A S235JR steel seat consisting of 6 40x10mm modular steel profiles. These are shaped to converge at the bottom and are connected to a hinged sWivel support, Which can be fixed to the ground. The backrest is reinforced and aligned by a Ø 6mm. horizontal, stainless steel rod.



MOIRE BENCH

SPECIFICATIONS | An AISI 304 stainless steel bench consisting of 5mm. laser-cut supports and Ø 10mm. rods for the seat and backrest. Available in straight and curved versions; both internal and external curved elements are available. The bench is set on tubular stainless steel supports.





EVIAN BENCH

SPECIFICATIONS | A bench manufactured from \$235JR steel, consisting of laser-cut supports, 7 40x40mm. tubular elements for the seat, and 5 40x10 tubular elements for the backrest. Also available With concrete stands.



DECA BENCH

SPECIFICATIONS | A relaxing chaise longue designed for urban parks and gardens. The \$235JR structure consists of 6 Ø 30mm tubular elements for the backrest, intermeshed With 7 similar elements for the elegant seat..







ETERE BENCH

SPECIFICATIONS | This bench is available in AISI 304 stainless steel or S235JRsteel. The supporting structure is press-formed 40x10mm, steel plate. The backrest and seat can be made of a variety: 20x20mm stainless steel or S235JR rods, or mahogany slats, these versions are also available Without a backrest.



SITTING AROUND BENCH

SPECIFICATIONS | A bench With a specially shaped, stainless steel AISI 304 supporting structure. The seat itself is made up of 46 mahogany slats







MAREA BENCH

SPECIFICATIONS | The AISI 304 stainless steel structure is shaped out of 50x20mm. strips. The seat and backrest, made of mahogany slats, are proposed in three different inclinations. Also available With case at the base containing n°2 solar poWered LEDs.



ARCADIA BENCH

SPECIFICATIONS | The structure of this bench is made of \$235JR steel. The shape of the backrest and the footrest provide extra comfort and back support When sitting on the backrest. The supports are made of C-shaped, 4mm. thick 50x25mm. tubes. Those used for the seat and backrest measure 25x25mm.









NASTRO BENCH

SPECIFICATIONS | This ribbon Wraps up the air of our city in a comfortable package. Nastro's light, Well-modelled, natural shape plays on its robustness, and radically challenges the predictable perception of street furniture as being heavy. Structure made of 5mm thick S235JR steel plate cut With a Water-jet

GE BENCH

SPECIFICATIONS | A restful and comfortable stainless steel AISI 304 structure consisting of a Ø 48mm. tubular frame and a backrest made of Ø 8mm. rods. The rods are unevenly spaced and get closer together near the base.





SHAULA BENCH

SPECIFICATIONS | There are tWo versions: one long and articulated, the other short and compact. The S235JR steel structure consists of a moulded tubular frame Welded to 40mm x10mm modular steel strips. There is also a version With slats made of various types of Wood.



VESPINO BENCH

SPECIFICATIONS | This seat uses the most classic of Italian designs to take a new look at the "leaning on the scooter" pose. Made of S235JR steel plate and curved/shaped tubing.











LUNA BENCH

SPECIFICATIONS | A seat Which is strikingly simple and compact, all the more so at night thanks to its internal lighting system. The external structure is made of bored AISI 304 steel. The bench is fixed to the ground in such a Way as to the electrical system accessible by simply removing the main structure.

TALK BENCH

SPECIFICATIONS | A seat designed for young people and the innumerable Ways they like to sit When they meet and talk. Made of a single \$235JR steel tube, Which curves sinuously creating three different levels.







LETTERA BENCH

SPECIFICATIONS | The conceptual simplicity of this bench, a folded sheet, is a response to requests for a flexible product Which can be personalized With texts, logos, and advertising images. The object itself is alluring, playing on a sort of interference between the seated user and the passerby. The latter Would like to move the seated person off the bench to get a better look at What is on the backrest. Made of \$235JR steel plate or AISI 304 stainless steel plate.



OTÉ BENCH

SPECIFICATIONS | Oté bench Was designed in homage to the sculptures of the Spanish artist Jorge Oteiza. Made of coated steel sheet, this 3-seater bench allows many Ways to sit on it, With or Without backseat. The upper part of the backseat is folded in order to create a shelf Where you can lean something on or just lean yourself While standing.













MULTI-COLORED SEATS

PREMIERE SEAT SANDSTONE

MULTI-COLORED BENCH

SPECIFICATIONS | Maintenance free, Ready assembled, Supplied With ground fixing bolts for hard surfaces, Environmentally friendly, Made from recyclable plastic, Hygienic & easy to clean, Vandal resistant, UV stable















MULTI-COLORED SEATS

PREMIERE SEAT SANDSTONE

MULTI-COLORED BENCH

SPECIFICATIONS | Maintenance free, Ready assembled, Ground fixing bolts for hard surfaces, Environmentally friendly, Made from recyclable plastic, Hygienic & easy to clean, Vandal resistant, UV stable, Struts are made from 100% recyclable material & are available in black only











STAR BENCH MULTI-COLORED

MODULAR SEATING

MODULAR SEATING


SPECIFICATIONS | Extremely versatile cominations of seating arrangments, Maintenance free - no need for varnish or paint, Ground fixing bolts for hard surfaces, Hygienic & easy to clean, Environmentally friendly, Made from recyclable plastic, Vandal resistant, Struts are supplied in black only and are 100% recycled material






ZIGZAG BENCH







SPIRAL BENCH

SPECIFICATIONS | Maintenance free - no need for varnish or paint, Supplied With ground fixing bolts for hard surfaces, Environmentally friendly, Made from recyclable plastic, Hygienic & easy to clean, Vandal resistant - made from durable polyethylene, UV stable, Struts are supplied in black only and are 100% recycled material





LEARNING CURVE AND ARENA









LEARNING CURVE & TEACHER'S CHAIR

SPECIFICATIONS | UV stable, Vandal resistant, Maintenance free, Hygienic & easy to clean, Supplied With ground fixing bolts for hard surfaces, Environmentally friendly, Made from recyclable plastic











BENCH HAVANA / PHA01

DIMENSIONS | **200**0 x 640 x 830mm SPECIFICATIONS | In polyethylene, made of a single piece by rotational moulding, recyclable steel core.





P.O Box No.11169 Manama, Kingdom of Bahrain Mobile **+973 66628877** | Email **bahrain.moderngardens@gmail.com**

Website moderngardensuae.com